



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

GENERAL INDEX.

A.

- Abutilon cuttings, disease, 305.
 Acacia, fungi, 321.
 Acetate of copper for grape mildew, 309.
 Achlya—
 Duncan on fossil, 271.
 penetrans in corals, 271.
 Actinomycosis in cattle, due to fungus, 393.
 Adhesiveness of fungicides, 202, 310, 417.
 Æcidium, notes, 325, 326.
 Africa, wheat rust, 299.
 Agaricini, edible, 426.
 Agaricus, fossil, 324.
Agaricus melleus—
 destructive action, 397.
 on tree roots, 413.
 peach yellows attributed to, 404.
 Agriculture—
 electricity in, 308, 314.
 of Italy, reports of U. S. consuls, 169.
 Ahlesia, classification of, 329.
 Albumen bacteroids in root tubercles, 385.
 Aleurodes citri, preliminary notice of a fungus
 parasite, 363.
 Alfalfa leaf spot, 411.
 Algæ, fungi parasitic on, 322.
 Algal fungi, 389.
 Algal symbiosis, 388, 428.
 Almond—
 action of rust, 356.
 disease—
 affected by weather conditions, 67.
 caused by *Cercospora circumscissa*, 232.
 description of injury, 67, 68, 69.
 dissemination, 70.
 notes, 66, 232, 304.
 observations on parasite causing, 71.
 plan of treating, 77, 235.
 preventive measures, 70, 232, 309.
 remedies, 232.
 results of treatment, 237.
 stocks affected, 67.
 transmission to peach trees, 67.
 work on, in Australia, 77.
 trees, disease, 66.
 tumors on roots, 376
 Alten, H., 378
 Alternanthera leaf blight, 414.
 Alternaria parasitic on melon, 373.
 Alwood, W. B., 306
 Alyssum mildew, 56.
 American—
 agricultural colleges and experiment stations,
 botanical section, meeting, 153.
 Pomological society, meeting, 154, 400.
 Ammoniacal copper carbonate solution—
 adhesiveness, 204.
 apparatus for applying, 78.
 cost, 78, 239, 361.
 directions for using, 77.
 effect on—
 almond disease, 238.
 cherry leaf spot, 174.
 color of wheat leaves, 206, 209.
 Mahaleb cherry, 250.
 Marianna plum, 255.
 Mazzard cherry, 250.
 Myrobalan plum, 254.
 pear leaf blight, 243, 245, 247.
 quince stocks, 248.
 wheat plants, 215.
 wheat rust, 210, 218, 219.
 formula, 13, 77, 174, 200, 217, 234, 262, 343, 360.
 fungicidal value, 308, 311.
 time required to spray a tree, 78.
 wetting power, 204, 205.
 Ammonia, cost, 239.
 Amylodextrin in root tubercles, 385.
 Anderson, F. W., obituary notice, 293.
 Andes, fungi, 426.
 Angers quince—
 budded, 258, 260, 261.
 experiments for leaf blight, 247.
 Animals, parasitic fungi and microorganisms on,
 190, 293.
 Anthracnose of—
 bean, 298, 408.
 cotton, 298, 301.
 currants, 101.
 grape, 163, 165, 169, 174, 303.
 grape, treatment, 302, 308, 309, 311.
 hollyhock, 306.
 orchids, 166.
 raspberry, treatment, 170, 410, 420.
 Antibionts, definition, 388.
 Apple—
 bitter rot, 302, 304.
 bitter rot, remedy, 411.
 blight, 304.
 blight proof, 297.
 canker, 411.
 diseases, 411, 412.
 diseases treatment, 167, 417.

Apple — Continued.

- leaves, fungous disease, 162.
- moldy core, cause, 302.
- orchards affected by *Fusicladium*, 373, 412.
- powdery mildew—
 - experiments, 256.
 - treatment, 309, 411.
- ripe rot, description, 304.
- rust, 164, 174, 408.
- scab—
 - cost of treatments, 21.
 - description, 303.
 - effect on fruit, 20.
 - experiments, 17, 22, 311.
 - in Virginia, 306.
 - notes, 26, 373, 409.
 - results of spraying, 19.
 - treatment, 17, 18, 54, 168, 173, 174, 175, 176, 299, 306, 308, 310, 408, 411, 417, 418, 420, 422.
 - weather as affecting prevalence, 373.
- stocks, budded, at Geneva, N. Y., 259, 261.
- trees, root knot, 294.
- water core, 298.

Apples, copper on, 309.

Apricot—

- action of rust, 356.
- disease, 157.
- shot-hole disease, 411.

Archagaricon, fossil fungus, 270.

Argentine Republic, new fungi, 322.

Armillaria mellea, doubtful connection with root rot, 377.

Arsenic, action of fungi, 317.

Arsenites combined with—

- fungicides, 172, 418, 420.
- lime, 418.

Aschersonia tahitensis on *Aleroydes citri*, 363, 364.

Ascomycetes—

- characters, 391.
- notes on asci, 50.

Ash, fungi, 413.

Asphalt vapor—

- begonia leaves, injury, 378.
- rose leaves, injury, 378.
- strawberry leaves, injury, 378.

Australia—

- new fungi, 321, 424, 425.
- rust, loss from, 287.
- rust of wheat, 195.
- species of fungi, 380.
- wheat rust—
 - conference, 287.
 - treatment suggested by conference, 288.

Australian fungi, handbook, 379.

B.

Bacteria—

- connection with plant diseases, 297.
- diseases due to, 51.
- in diseased tobacco, 384.
- in *Puccinia*, 325.
- notes, 157, 160, 179.
- of cucurbits, 160.
- phosphorescent, 176, 318.
- uses, 423.

Bacteriaceæ 192.

Bacterial disease of—

- beet, 303.
- chinch bugs, 316.
- geranium, 305.
- grape clusters, 303.
- melon, 303.
- olive, 303, 304.
- poplar, 305.

Bacteriology, book on, 429.

Bacteroids in root tubercles, 385.

Balanus, fungus growing on, 428.

Banana disease, 407.

Barley disease, description, 96.

Bartholomew, Elam, 218, 372.

Bartlett pear tree, lichens, 261.

Basic cupric acetate mixture—

- chemical notes, 342.
- effect on wheat rust, 223.
- formula, 222.

Basidia, relation to asci, 50.

Basidiomycetes—

- culture, 315.
- notes on development, 393.
- origin, 390.

Bean —

- anthracnose, 298, 407.
- rust, 63.
- tufted leaf blight, 411.

Beet—

- diseases, 303, 406, 416.
- diseases, treatment, 416.
- leaf rust, cause, 408.
- scab, 159.
- white rust, 102.

Begonia—

- leaves affected by asphalt vapor, 378.
- root knot, treatment, 421.

Berlese, A. N., award of prize to, 319.

Bernardinite, is it a mineral or a fungus, 331.

Bichloride of mercury, effect on pear leaves, 267.

Biology of—

- fungi, 314.
- lichens, 318.

Bitter rot of apple, 302, 304.

- remedy, 411.

Blackberry—

- diseases, 163.
- rust, 57, 162, 408.
- rust—
 - in Pennsylvania, 312.
 - mycelium, 310, 328.
 - treatment, 417.

Septoria, treatment, 22, 26, 310.

Black knot—

- hosts, 101.
- notes, 174, 412.
- of cherry, 56, 60, 171, 300, 416.
- of plum—
 - description and treatment, 302, 412.
 - notes, 54, 56, 60, 101, 171, 300, 303, 416.
 - prevention, 313, 420.

Black rot of grapes—

- in France, 313.
- in Italy, 303.
- in Virginia, 306.
- notes, 51, 54, 62, 163, 169, 174, 304.
- treatment, 169, 309, 310, 311.

- Black rot of sweet potatoes, 55, 300, 411.
 Black rust of cotton, 299.
 Black spot of—
 peaches, 91, 374.
 plums, 99.
 Bladder plums, 409.
 "Bleaching powder" for club root, 85.
 Blight—
 and canker, American, remedy, 173.
 fire, in Africa, 410.
 notes, 412.
 leaf, of—
 cotton, 403.
 gooseberry, 374.
 pear, 411, 417, 419.
 quince, remedy, 411.
 rose, 417.
 Southern tomato, 300.
 strawberry leaf, treatment, 174, 417.
 sycamore, 95, 413.
 Blight of—
 Alternanthera leaves, 414.
 apple, 304.
 bean, tufted leaf, 411.
 chrysanthemums, 414.
 fruit-tree leaves, 412.
 grape, in New York, 310.
 Hydrangea, 55.
 nursery stock, treatment, 170.
 orange—
 causes, 32, 33
 distribution, 32.
 nature, 32.
 notes, 162.
 remedies, 33, 34.
 peach description, 36.
 pear—
 effect of weather, 374.
 eradication, 295.
 freedom from, 405.
 notes, 163, 174, 374, 412.
 remedy, 313.
 results of investigations, 165.
 Windsor, remedy, 410.
 pear blossoms, 411.
 pear leaf—
 Bordeaux mixture, 175.
 notes, 168, 174.
 treatment, 169, 174.
 Pelargonium, 166.
 Petunia, 414.
 plum, 94, 173, 304.
 plum trees, treatment, 173.
 potatoes—
 experiments with Bordeaux mixture, 172, 175.
 in Ireland, 162.
 notes, 62, 171, 172, 174, 307, 407.
 treatment, 417.
 wheat—
 cause and remedy, 408.
 notes, 95.
 Blister of—
 peach, copper sulphate for, 173.
 pine, 413.
 Bloom on leaves, use, 297.
 Blossom blight of pear, 411.
 Blue grass, smut, 98.
 Bluestone for wheat smut, 416.
 Bordeaux mixture—
 adhesiveness, 204, 310.
 analysis of dry, 314.
 as a fungicide, 77, 308, 312.
 color test, 369.
 combined with—
 Paris green, 310.
 soap, 370.
 corn smut not prevented by, 171.
 effect on—
 color of leaves, 206, 209.
 germination of potatoes, 174.
 Japan pear stock, 245.
 leaf blight, 243.
 leaf blight of American pear stock, 247.
 lichens, 264, 267.
 Mahaleb cherry, 250.
 Marianna plum, 255.
 Mazzard cherry, 252.
 Myroblan plum, 254.
 quince stocks, 248.
 vegetation, 175.
 wheat plants, 215.
 wheat rust, 208, 210, 214, 216, 224.
 formula, 12, 22, 26, 174, 175, 200, 217, 222, 262.
 history, 415.
 influence on dew, 205.
 keeping qualities, 376.
 lime not necessary, 312.
 methods of making, 175, 365, 371.
 notes, 174, 306.
 objections, 311.
 objections to, on grapes in New York market, 175.
 stimulant to growth of grapevines, 410.
 stock solutions, 337.
 used for—
 downy mildew of grape, 52.
 fungous diseases, 419.
 grape rot, 54.
 horse-chestnut leaf blight, 353.
 pear leaf blight, 175, 333.
 potato disease, 23, 159, 172, 173, 174, 175, 306, 386, 387.
 wheat rust, 218, 219.
 testing for free copper, 337, 368.
 wetting power, 204, 205.
 wine not affected by, 173.
 Botanical notes, 62.
 Botanist of New York State, annual report, 147.
 Botanists, station, work, 401.
 Botany, fossil, 148.
 Bramble rust, 412.
 Branch knot of hackberries, distribution and ravages, 57.
 Brassica, liable to attack of club root, 84.
 Brefeld, Oscar, 51.
 Brome smut, 98.
 Brown rot of—
 grape, treatment, 62, 309.
 peach, 92.
 stone fruits, 57.
 Brunissure and red spider, 403.
 Buckwheat mildew, 62.

Bud, nurserymen's use of term, 252.
 Bunt. (See Stinking smut of wheat.)
 Burgundy mixture modified, formula, 174.
 Burnt spots on leaves, cause, 295.
 Burrows of insects mistaken for fungi, 272.

C.

Cabbage—
 bacterial disease, 160.
 club root, 79, 84, 316, 408.
 diseases, 300.
 worms, fungous disease of, 61, 314.
 California vine disease, 154, 294.
 Callose, 140.
 Cancha, name of cotton disease, etc., 48.
 Canker of—
 apple, 411.
 clover, 407.
 fruit trees, 403.
 larch, notes, 166, 304.
 Carbonate of copper. (See Copper.)
 Carnation—
 diseases, 300.
 diseases, treatment, 116, 118.
 rust, 167, 305, 306, 413, 414.
 Carposporangial Ascomycetes, 391.
 Caterpillar—
 fungi on, 317.
 New Zealand vegetable, 191.
 Cat, fungi causing disease, 401.
 Cattle, lumpy jaw, due to a fungus, 293.
 Cattleyas, disease, 403.
 Cauliflower, club root, 408.
 Cedar apple fungus, 102, 164.
 Ceirey—
 diseases, 407, 408.
 rust, 299.
 Cell, death of, 159.
 Cells, behavior of normal living, 150.
Ceratocystis fimbriata (See Sweet potato black rot).
Cercospora circumscissa—
 almond disease caused by, remedies, 232.
 effect on almond trees, 233.
 manner of growth, 233, 358.
 suggestions for treatment, 77, 78.
 treatment, 309.
Cercosporæ from Alabama, 330.
Cercospora on peach, 375.
 Cereals—
 diseases, 301, 408.
 diseases, treatment, 416, 419.
 rust, 52, 174, 301.
 rust, prevention, 53.
 rusted and blighted, experiments, 408.
 smut in, treatment, 52, 311, 407.
 Cerebritis of horses, attributed to *Aspergillus*, 191.
Chalara ungeri, spore formation, 5.
 Charlottesville, Va., experiments, 16.
 Chemical notes on fungicides, 342.
 Cherry—
 action of rust, 356.
 affected by *Cylindrosporium padi*, 101.
 black knot, 56, 60, 171, 300, 416.
 disease, 164.
 Fusicladium, 411.
 leafblight, experiments, 249.

Cherry—Continued.
 leaf spot, 62.
 Mahaleb, budded, effect of—
 ammoniacal copper carbonate, 250.
 Bordeaux mixture, 250.
 Mazzard, budded, effect of—
 ammoniacal copper carbonate, 252.
 Bordeaux mixture, 252.
 Mazzard, experiments, 251.
 powdery mildew, 251.
 spot disease, 192.
 spot disease, treatment, 174.
 tree disease, 412.
 Chestnut disease, 408.
 Chinch bugs—
 bacterial disease, 316.
 cholera, 59.
 fungi affecting, 424.
 Chinese insect drug, 329.
 Chlorosis in plants, treatment, 154, 415.
 Chloride of lime, effect on pear leaves, 267.
 Chrysanthemum—
 blight, 414.
 cuttings, disease, 305.
 Citron, diseases, 409.
 Citrus, diseases, 162.
 Clavaria—
 new species, 426.
 notes, 427.
 Clematis cuttings, disease, 305.
 Climax nozzle, effect of spray on, 359.
 Clover—
 canker, 407.
 disease, 408.
 rust, 99.
 scarlet, rot, 411.
 smut, 99.
 Club root—
 anatomy, 81.
 bibliography, 86.
 "bleaching powder" for prevention of, 85.
 cause, 81, 84, 86, 408.
 description, 80.
 distribution, 79.
 effect of fertilizers, 85.
 effect of weather on germination of spores, 84.
 experiments to develop the parasite, 79.
 injury caused by, 79.
 in the United States, 79, 316.
 lime as a preventive, 85.
 of cabbage, 80, 408.
 of cauliflower, 408.
 of turnips, 80.
 origin of disease, 79, 408.
 plants affected, 79.
 prevalence, 84.
 preventives, 84, 85, 408.
 propagation, 84, 85.
 soils least subject to, 85.
 spore, description, 84.
 sterilization of soil as a preventive, 85.
 synonyms, 79.
 work on, 298.
 Coffee—
 growing in Ceylon, 381.
 leaf disease, treatment, 299.
 plant, parasites, 160.

- Coffee—Continued.
rust, 381, 407.
- Cold, effect on growth of plants, 296.
- Conidia—
development, 391.
formation and separation in *Peronospora*, 144.
relation to sporangia, 50.
- Conifers—
diseases, 396.
fungi, 398.
- Constantin and Dufour, award of prize to, 319.
- Constitutional health of plants, 317.
- Cooke, M. C., 379.
- Copper—
absorption by soil, 308, 402.
acetate—
adhesiveness, 310.
for grape mildew, 309.
formula, 12.
and lime solutions, mixing, 369, 370.
basic carbonate mixture, notes, 343.
borate mixture—
adhesiveness, 204.
effect on wheat rust, 223.
formula, 201, 222.
notes, 343.
wetting power, 204, 205.
carbonate—
analysis, 175.
cost, 239, 361.
formula, 78, 173, 361, 411.
in ammonia, 17.
in suspension, formula, 12.
compounds—
adhesiveness, 310, 417.
adulteration, 314.
for plant diseases, 168, 173, 176.
toxicology, 309.
free in Bordeaux mixture, test, 337, 368.
fungicides, effects on weeds, 174.
gypsum, for grape mildew, 312.
in foods, 313.
in potato tubers, 174.
in soils—
influence on vegetation, 307, 423.
reaction, 312.
in unsprayed grapes, 313.
on apples, 309.
on fruit, 307.
on grapes, 401, 402.
on potatoes, amount, 402.
on sprayed fruit, 402.
on tomatoes, 308.
salts—
as fungicides, 308.
injurious to vegetation, 174, 421.
possible source of danger, 58, 174.
silicate mixture, 346.
soda mixture for grape mildew, 312.
adhesiveness, 310.
for grape mildew, 312.
solutions and soil, 313.
sucrate mixture, 346.
sulphate—
absorption by roots, 421.
action on soil, 312.
- Copper—Continued.
sulphate—Continued.
analysis, 175.
cost, 239, 361.
effects on germination of corn, 174.
for grain, 170.
for mildew, 167.
fungicidal value, 173, 312.
methods of dissolving, 365.
for peach blister, 103.
for potato diseases, 173, 309.
for smut on seed wheat, 175.
stock solution, 365, 366.
sulphite mixture, 318.
vitality of seed wheat impaired by, 421.
- Copperas as fungicide, 312.
- Copperdine, analysis, 175, 314.
- Corals, *Achlya penetrans* in, 271.
- Cordyceps—
new species, 329.
notes, 429.
- Corn—
germination retarded by copper sulphate, 174.
moldy, supposed cause of staggers in horses, 191.
smut—
experiments, 171.
influence on cattle, 317.
notes, 174, 410.
treatment, 421.
- Corrosive sublimate solution—
treatment for wheat rust, 218.
use on seed wheat, 204.
- Cortinarius, new species, 427.
- Cotton—
anthracnose, 298.
anthracnose, description, 301.
black rust, 299.
disease in Ecuador, 320.
Doassansia, 48.
growing in Russia, 159.
leaf blights, 403.
plants, diseased, 48.
root rot, cause, 298.
rust—
description, 48.
in Ecuador, 47, 320.
- Cracking and spotting of—
fruit and vegetables, 163.
grapes, 164.
peaches, 374.
pears, 405.
- Cranberry—
diseases, experiments, 163.
diseases, treatment, 311.
gall fungus, treatment, 303.
scald, 170.
scald, treatment, 303.
- Crittogamia agraria*, 51.
- Crown gall on trees, 377.
- Cryptogamic laboratory at Ithaca, N. Y., 401.
- Cucumber—
diseases, 156, 160, 408.
mildew, 57.
Peronospora, 62.
powdery mildew, 408.

Cucumber—Continued.
 root-gall disease, 408.

Cucurbits—
 notes on bacteria, 160.
 treatment of diseased, 417.

Culture—
 cell, 430.
 media, methods of making, 4.
 tubes of agar, device for rolling, 430.

Cupric—
 ferrocyanide mixture—
 adhesiveness, 204.
 effect on color of leaves, 209.
 effect on wheat rust, 223.
 formula, 201, 222.
 notes, 344.
 wetting power, 204, 205.

hydrate mixture, 344.

hydroxide mixture—
 adhesiveness, 204.
 effect on wheat rust, 224.
 formula, 201, 222.
 notes, 344, 345.

oxychloride mixture—
 notes, 347.
 tribasic, 347.

polysulphide mixture—
 effect on wheat rust, 224.
 formula, 222.
 notes, 345.

sulphate, ammonia and soap mixture, 347.

Cupulifereæ, symbiosis, 388.

Curl of peach—
 effect of weather, 88, 314, 375.
 in Victoria, 404.
 notes, 375, 412.
 treatment, 314, 421.

Currant—
 anthracnose, description, 101.
 canes, destructive disease, 163.
 diseases, description, 101.
 spot disease, 192.
 spot disease, treatment, 174.

Cuttings, fungi attacking, 305.

Cyclone nozzle, effect of sprays on, 359.

Cyphella, species, 427.

D.

Daffodil, disease, 403.

Damping off—
 notes, 57, 158, 316, 414.
 of eggplant, 408.
 remedy, 416.

Deadheads, obscure disease, 402.

Dew, influence on grape mildew, 314.

Die-back of orange—
 causes, 30, 154, 405.
 distribution, 30.
 effect of soil, 295.
 nature, 29.
 remedy, 30, 295.

Dietel, P., 42.

Diorchidium, notes on revision, 428.

Diseases, fungous—
 economic study, 59.
 experiments in treatment, 17.
 influence of climatic conditions, 88, 293, 374, 375.
 in Iowa, 95.

Diseases, fungous—Continued.
 list, 174.
 modern methods of treating, 309.
 notes, 164.
 of plants, does spraying for, pay, 175.
 of pomaceous fruits, recent progress in treating, 170.
 on plants, 286.
 powders for, 60.
 relation of host to parasite, 150.
 some epidemic, relation between host and parasite, 150.
 study at Paris, 294.
 study in Germany, 294.
 treatment, 59, 167, 169, 173, 174.

Downy mildew—
 notes, 52.
 of grape, 163, 306.
 of grape, treatment, 62, 309, 311.
 of potato, Bordeaux mixture for, 172.

Drumstick tree, fungi, 324.

Duncan, P. M., 271.

E.

Eau celeste—
 as a fungicide, 308.
 effect on lichens, 266.
 for spraying grapes, 170.
 modified—
 adhesiveness, 236.
 as a fungicide, 308.
 cost, 239.
 effect on almond disease, 238.
 formula, 12, 174, 235, 360.

Edible fungus from New Zealand, 323.

Eggplant—
 damping-off, 408.
 disease, 160, 300.

Elder rust, 57.

Electricity, effect on—
 fungi, 308, 401.
 lettuce mildew, 314.

Ellis, J. B. (*See Fungi, new species.*)

Entomosporium maculatum, experiments to prevent, 242, 247.

Epidemic disease, factors, 151.

Ergot, notes, 174, 329.

Errata, 431.

Errata to index to literature, 291, 399.

Erysipheæ from Carolina and Alabama, 53.

Eucalyptus, fungi on, 321.

European plane, disease, 305.

Everhart, B. M. (*See Fungi, new species.*)

Exosporangial ascomycetes, 391.

Experiments in the treatment of plant diseases, 12.

Experiments with fungicides to prevent leaf blight of nursery stock, 338.

Eycleshymer, A. C., 79, 316.

F.

Fairchild, D. G., 1, 240, 338.

Falling of eggplant, 408.

Farlow, W. G., 135.

Favolus, discussion of genus, 324.

Fermentation by yeast organisms, 424.

Ferric—
 and ferrous salts, action on leaves, 379.
 chloride and phenol mixture, 348.

Ferric—Continued.

chloride solution—

adhesiveness, 204.

formula, 201.

wetting power, 204, 205.

hydrate mixture, 349.

Ferrous ferrocyanide mixture—

adhesiveness, 204.

effect on color of leaves, 206, 209.

effect on wheat rust, 210, 224.

formula, 200, 222.

notes, 348.

wetting power, 203, 204, 205.

Ferrous sulphate solution—

formula, 201.

injury to foliage, 205.

treatment for wheat rust, 218, 219.

wetting power, 204, 205.

Field notes, 88, 373.

Filbert, fungus affecting, 410.

Fire blight—

in New South Wales, 410.

notes, 163, 412.

Fischer, A., 135.

Fish eggs, diseases, 408.

Flax, diseases, 156.

Flora of Jamaica, additions, 187.

Florida—

adaptation of soil to orange culture, 28.

diseases of orange, 27.

Fomes, new, from northern Montana, 52.

Foot rot—

causes, 31.

distribution, 31.

nature, 30.

notes, 155, 405.

of citron trees in Corsica, 156.

oxide of iron for, 167.

remedies, 31.

sour stocks for prevention, 154, 156.

Forage plants—

fungi affecting, 95.

of Iowa, fungous diseases, 161.

Forays, fungus, 152.

Forest—

relations to orchards, 56.

trees, diseases, 301.

trees, fungi, 304, 413.

Fossil—

Achlya, 271.

botany, 148, 154.

fungus—

from coal measures, 269.

new, 324.

notes, 268.

French pear stocks—

budded, 258, 261.

experiments, 243.

weight and measurement, 244.

Frost, protection of plants from, 415, 416.

Frosty mildew, 91, 92.

Fruit—

copper on, 307, 402.

cracking, 163.

culture in foreign countries, 140.

diseases, 162, 301, 307, 401, 412, 414, 416, 421.

Fruit—Continued.

lime as a preservative, 173.

pomaceous, recent progress in treating diseases, 170.

sprayed, harmless, 309.

spraying for fungi, 419.

trees—

canker in, 403.

fungi, 303.

leaf blight, 412.

powdery mildew, 412.

sun scald, 405.

Fumagine of citron, 410.

Fungal symbiosis, 388.

Fungi—

action on arsenic, 317.

affecting forage plants, 95.

and insects, losses caused by, 401.

and plant diseases, 400.

and variegated plants, 406.

attacking cuttings, 305.

attractive, 318.

Australian handbook, 379.

biology, 314.

Brefeldian system, 389.

British, new, 425, 427.

British, review, 324.

classification, 138.

classification of—

Brefeld's, 50.

Cooke's, 379.

Fischer's, 138.

von Tavel's, 395.

Zopf's, 284.

collecting, 331.

constitution of membrane, 143.

culture, 178, 315.

curious, 192.

description of some new species, 374.

descriptions, 278.

destruction of injurious, 313.

dispersion of spores, 317.

distribution, 180.

edible—

notes, 153.

of Great Britain, 293.

two Japanese, 185.

entomogenous, 190.

fleshy, plaster casts of, 186.

fossil, from coal measures, 267, 268.

fossilized, why rarely, 269.

geographical distribution, 330, 423.

glucose in, 177.

growth, 430.

higher, early researches, 51.

illustrations, 321.

immunity of healthy plants, 317.

in hothouses, 316.

in open air in Sweden, 316.

interchange of gases, 316.

introduced into Sweden, 316.

large, 324.

lower, 189, 190.

mannite in, 176, 177, 315.

morphology, 180, 389.

mounting, 331.

Fungi—Continued.

- new species, 44, 54, 130, 181, 182, 183, 188, 189, 190, 191, 274, 281, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 424, 425, 426, 427.
 - new species from—
 - New Zealand, 319, 424.
 - North and South America, 44.
 - North American, 59.
 - notes, 148, 186, 324, 425.
 - poisonous, 316, 424.
 - preservation of fossil, 268.
 - prize for work on, 319.
 - reagents used in studying, 140, 194.
 - reproduction, 318.
 - rules for describing, 183, 321.
 - rust, 158.
 - smut, 56.
 - spore germination, 178.
 - starch in, 177, 315.
 - suspicious, 317.
 - trehalose, 176, 177, 315.
 - trimorphism, 327.
 - used as food in New Zealand, 400.
- Fungi of—
- Australia, descriptions, 180, 185.
 - Bolivia, descriptions, 188.
 - Bristol district, 180, 193.
 - Gulf of Juan, 321.
 - hot climates, 188.
 - Italy, 177, 186.
 - Montana, 54.
 - Nova Scotia, 183.
 - phanerogams, symbiotic action, 157.
 - United States, provisional host index, 135, 182.
 - Warwickshire, 182.
- Fungi on—
- algæ, 428. (*See* Lichens.)
 - cabbage worms, 314.
 - caterpillar, 317.
 - forage plants and cereals, 95.
 - fruit trees, 303.
 - insects, 178, 314, 316.
 - leaves of *Sarracenia purpurea*, 189.
 - locust, 314.
- Fungi, parasitic—
- affecting higher animals, 179.
 - and saprophytic, 315.
 - nature, 51.
 - notes, 123, 187.
 - relation to plant diseases, 158.
- Fungicidal action, theory regarding, 56.
- Fungicide, new, 414.
- Fungicides—
- abuse, 170.
 - adhesiveness, 202, 203, 204.
 - analysis, 175.
 - apparatus for applying, 416.
 - application, 62, 174, 312.
 - combined with arsenites, 172, 418.
 - combined with insecticides, 420.
 - comparative value of various, 15, 20.
 - cost, 174, 239.
 - effect on vitality of seeds, 308.
 - for—
 - apple scab, 17.
 - leaf-blight of nursery stock, 338.
 - nursery stock, 242.

Fungicides—Continued.

- for—Continued.
 - Septoria of raspberry and blackberry, 22, 26.
 - formulas, 12, 174, 262.
 - liquid and powder, 408.
 - manner of applying, 417.
 - method of preparation, 340.
 - notes, 168, 309.
 - requisites for useful, 341.
 - summary of action on pear-leaf blight, 351.
 - test of, in treating fungous diseases, 402.
 - tests for purity, 314.
 - used in wheat rust experiments, 199, 216, 222.
 - use of milk with, 202.
 - use of soap with, 202.
 - wetting power, 202.
- Fungous diseases—
- discussion on treatment, 419.
 - epidemics, occurrence, 398.
 - influence of climatic conditions, 88, 373, 401.
 - list, 174.
 - losses caused by, 400.
 - powders for, 60.
 - treatment, 170, 174, 176.
 - work on—
 - by Division of Vegetable Pathology, 401.
 - in New York, 401.
- Fungus—
- new fossil, 324.
 - parasitic on *Aleyrodes citri*, 363.
- Fusicladium dendriticum* (*See* Apple scab).
- Fusicladium in apple orchards, 373, 412.

G.

- Galloway, B. T., 12, 39, 44, 77, 195, 372.
- Galloway sprayer, 313.
- Garrett Park, Md.,—
 - experiments on wheat rust, 197, 212.
 - weather record, 209.
- Gasteromycetes—
 - new or imperfectly known, 185, 427.
 - notes on development, 394.
- Geneva, N. Y., experiments, on—
 - leaf-blight, 257.
 - nursery stock, 240.
- Geranium disease, 305.
- Germany, study of plant diseases, 294.
- Ginger-beer plant, 424.
- Glucose in fungi, 177.
- Go-back (*See* Blight of orange).
- Goff, E. S., 17.
- Gooseberry—
 - cluster-cup fungus, 101.
 - disease, 164.
 - leaf-blight, 374.
 - mildeu, treatment, 168, 170, 173, 417, 418.
 - spot disease, 192.
- Grain—
 - fungi, 302.
 - intoxicating, 301.
 - smuts, 53.
 - treatment, 418.
- Grape—
 - anthracnose, 163, 165, 303.
 - anthracnose, treatment, 302, 308.
 - black rot—
 - copper sulphate and soda for, 311.

Grape—Continued.

black rot—Continued.

in France, 313.

in Italy, 303.

in Virginia, 306.

notes, 54, 62, 163, 169, 304.

treatment, 169, 310.

work, 174.

blight, in New York, 310.

clusters, bacterial disease, 303.

diseases—

Kirchner on method of classifying, 286.

notes, 165, 169, 411.

spraying machinery, 313.

treatment, 12, 168, 306, 309, 311, 313, 410, 414, 417, 422.

diseases in—

Baden, 410.

Illinois, 313.

New South Wales, 302.

western New York, 54.

downy mildew, 163.

grafts, description of disease, 165.

growing in United States, 310.

leaf hopper, fungous disease, 61.

mildew—

acetate of copper for, 309.

copper for, 312.

influence of dew, 314.

notes, 57, 306.

treatment, 167, 168, 307, 308, 417.

new disease, 165, 403.

oidium, sulphur, 416.

Peronospora, 169.

powdery mildew, 169, 373.

ripe rot, description, 304.

roots affected by *Fibrisea hypogea*, 102.

rust in New York, 310.

vine—

brunissure, 403.

effect of lightning, 296.

red spider, 403.

root tumors, 405.

Grapes—

copper deposit on, 401, 402.

cracking, 164.

scalding, 164.

sprayed—

notes, 311.

with Bordeaux mixture, action of New York board of health regarding, 175.

with eau celeste, 170.

Greenland fungi, new, 425, 426.

Greenville, S. C., experiments, 13.

Greenaria, 429.

Gulf of Juan, new fungi, 321.

Gum diseases of orange. (*See* Foot rot.)

Gumming of orange in Africa, 405.

Gummosis of citron trees in Corsica, 156.

Gymnoascus, new species, 428.

Gymnosporangium, Connecticut species, 428.

H.

Haberlandt, G., 381.

Hackberry branch knot, distribution, etc., 57.

Halsted, B. D., 1.

Heart rot of sugar beets, 161.

Hemiasci, families, 391.

Hemibasidia, origin, 390.

Hemp, fungi, 406.

Hepaticæ, symbiosis, 388.

Heterœcism, doubtful in *Puccinia coronata*, etc., 327.

Heterœcismal fungi, 422.

Hickory, fungi, 413.

Hirneola polytrichia, used as food, 400.*Holcus lanatus*, destroyed by *Puccinia*, 409.

Holland, tobacco disease, 382.

Hollyhock—

anthracnose, 306.

disease, new, 61, 320.

disease, notes, 166, 167, 300.

rust, 44, 57.

Hop rust in Africa, 404.

Horse-chestnut leaf blight, treatment, 352.

Horse-radish disease, 298, 300.

Host index, Farlow and Seymour's, 135.

Hot water treatment not useful for wheat rust, 218, 219.

Howell, A. M., 13.

Hydrangea blight, 55.

Hymenomycetes—

catalogue, 186.

new species, 187.

notes on development, 394.

Hyphomycetes, new—

genera, 429.

North American, 191.

Hypochnus, new species, 324.

Hypocrea, 429.

I.

Index, host, of fungi of United States, 135.

Index to—

literature, 153, 293, 400.

literature, errata, 291, 399.

North American mycological literature, 52.

India—

fungi, 325.

rubber tree, leaf spot, 60.

rust and mildew, 298.

Indian bread, account, 325.

Indian corn—

rust, 299.

smut—

influence on cattle, 317.

notes, 298, 410.

Insect drug, Chinese, 329.

Insect, rust spores eaten by, 319.

Insecticides—

apparatus for applying, 416.

combined with fungicides, formula, 176.

Insects—

distribution of smut spores by, 158.

fungi on, 178, 314, 316, 317, 318, 330, 423, 429.

fungous diseases, 313, 318, 424.

method of preventing and checking attacks, 154, 176.

Interrelations of wild and cultivated plants, 406.

Iowa, new fungous diseases, 95.

Iron borate mixture—

effect on wheat rust, 224.

Iron borate mixture—Continued.

formula, 222.
notes, 349.

Iron—

causing injury to leaves, 379.
chloride not useful for corn smut, 171.
sulphate—
 as a fungicide, 312.
 for chlorosis, 415.
 for fruit trees, 414.
 solution, 174.
 treatment for wheat rust, 218.
sulphide mixture—
 effect on wheat rust, 224.
 formula, 174, 222.
 notes, 349.

Italy, fungi, 325, 328, 329.

J.

James, J. E., 268.

Jannicke, W. (*See* Alten, H.)

Japan pear—

leaf blight, effect of ammoniacal copper carbonate, 245.
stocks—
 budded, 259, 261
 effect of Bordeaux mixture, 245, 246.
 treatment, 245.

Japy—

knapsack sprayer, improved, 39.
pump, 39, 110, 313.
sprayer—
 cost, 41.
 description, 40.

Java—

coffee-leaf disease, treatment, 299, 381.
parasitic fungi, 381.
rainfall, 381.
trip to, by Haberlandt, 381.

Jensen—

hot-water treatment of wheat and oats, 57, 170, 171.
process for smut, new method, 372.

K.

Kelsey plum—

budded upon peach, 228.
rosette affecting, 227.

Kirchner, O., 286.

Knapsack sprayers—

cost, 41.
for prune orchards, 357.
improved Japy, 39.
new, 39, 309, 310.
notes, 313.

L.

Lactuca, fungus affecting, 407.

Laetstidia bidwellii. (*See* Black rot of grapes.)

Lagerheim, G., 44, 103.

Larch—

canker of, 166, 304.
diseases, 397.
fungi, 413.

Leaf assimilation, experiments, 297.

Leaf blight, effect on pear seedlings, 242.

Leaf blight of—

Alternanthera, 414.
American pear stock, effect of—
 ammoniacal copper carbonate, 247.

Leaf blight of—Continued.

Bordeaux mixture, 247.

cherry, experiments, 249, 250.

cotton, 403.

fruit trees, 412.

gooseberry, 374.

horse chestnut, treatment, 352.

Japan pear, effect of—

ammoniacal copper carbonate, 245.
Bordeaux mixture, 245, 246.

nursery stock, 170.

nursery stock, fungicides for, 338.

pear—

action of fungicides, 351.
description, 241.
effect of ammoniacal copper carbonate, 243.
effect of Bordeaux mixture, 243, 312.
experiments to prevent, 242.
notes, 168, 304.
spraying, 419.
treatment, 300, 307, 309, 310, 333, 411, 417.

plum, experiments, 253.

quince, 168, 247.

quince, remedy, 411, 417.

strawberry, treatment, 302, 308, 417.

tufted, of bean, 411.

Leaf—

curl of orange. (*See* Blight of orange.)

curl of peach. (*See* Curl and Peach.)

disease of strawberry, remedy, 416.

glaze of orange, cause, 36.

rust of—

beet, cause, 408.
peach, 92, 412.
plum, 412.

spot of—

alfalfa, 411.
almond, 66, 233.
cherries, effect, 62.
India-rubber tree, 60.
orange, causes, 35.
orange, distribution, 35.
orange, nature, 34.
plums, effect, 62.
screw palm, 60.

Leaves, decay spots, 56.

Leguminosæ—

absorption of free nitrogen, 159.
root tubercles, 80, 297.
Uromyces, 327.

Lemon scab—

gum in, remedy, 420.
notes, 162.

Lettuce—

diseases, 160.
mildew—
 effect of electricity, 314.
 notes, 406.
 sulphur, 312.
rotting, 408.
wild, fungus affecting, 407.

Lichens—

biology, 318.
effect of Bordeaux mixture, 264, 265, 267.
effect of eau celeste, 266.
on pear trees, removal, 264.
symbiosis, 388.

Lightning, effect on grape vines, 296.

- Lily disease, 151, 167.
Lima bean, mildew, 62.
Lime—
 a preservative for fruit, 173.
 a preservative for potatoes, 173.
 chloride, effect on pear leaves, 267.
 milk, stock solution, 367.
 preventive of club root, 85.
 slaking for Bordeaux mixture, 366.
 stock solution, 337, 366.
 with arsenites, 418.
Limes, a disease, 157.
Linseed disease—
 in India, 162.
 treatment, 302.
Literature—
 errata to index, 291.
 index to, 153, 293, 400.
 mycological, index to North American, 52.
 reviews of recent, 50, 135, 282, 378.
Locust, fungi on, 314, 316.
Lombardy poplar, disease, 305.
Loose smut of wheat, test of fungicides to prevent, 172.
Lucern disease, 298.
Lumpy-jaw of cattle due to a fungus, 293.
M.
Macrosporium—
 parasitic on melon, 373.
 potato disease, 408.
Mahaleb cherry, budded—
 effect of ammoniacal copper carbonate, 250.
 effect of Bordeaux mixture, 250.
 experiments, 249.
Maize—
 disease in Australia, 298.
 rust, 299.
Mal di Goma. (*See* Foot rot.)
Mangin, L., 140, 141, 143, 144.
Manhattan, Kans., wheat rust experiments, 213, 215.
Marianna plum stocks budded—
 effect of ammoniacal copper carbonate, 255.
 effect of Bordeaux mixture, 255.
 experiments, 254.
Marianna plum stocks, rosetted peach budded on, 227.
Marsh-mallow rust, connection with wheat rust, 302.
Masson mixture, 306.
May beetle, fungi 423.
Mayer, A., 382.
Mazzard cherry, budded, effect of—
 ammoniacal copper carbonate, 252.
 Bordeaux mixture, 252.
Melon—
 bacterial disease, 303.
 disease, new, 373.
 disease, 301.
 fungi on, 373.
Mercuric bichloride, effect on pear leaves, 267.
Merulius, additions, 54.
Mesomycetes—
 classification, 51.
 definition, 389.
Meteorological conditions at Ithaca, Wis., 17.
Microorganisms—
 from diseased peach trees, 230.
 secretions, 315.
Mildew—
 copper sulphate, 168.
 downy—
 first appearance in Switzerland, 52, 163.
 of grape, treatment, 62, 309, 311.
 of potato, 172.
 effect of electricity, 308.
 frosty—
 notes, 91, 92.
 of peach, 304.
 in India, 298.
Mildew of—
 Alyssum, 56.
 buckwheat, 62.
 cucumber, 57.
 gooseberry, treatment, 168, 170, 173, 417.
 grapes—
 acetate of copper for, 309.
 influence of dew, 314.
 notes, 57, 306.
 treatment, 108, 307, 308, 312, 417.
 treatment in France, 167.
 lettuce—
 effect of electricity, 314.
 notes, 406.
 sulphur for, 312.
 lima beans, 62.
 onion, remedy, 407.
 peaches, 90, 375.
 radish, 56.
 rose—
 sulphur for, 312.
 treatment, 313.
 spinach, 57.
 strawberry, treatment, 415.
 tobacco, 407.
 tomato, treatment, 415.
 vine, Portuguese remedy, 169.
Milk, use in making fungicides adhesive, 202.
Mineral constituents of leaves, 249.
Mixture No. 5—
 for apple scab, 17.
 formula for, 12.
Modified eau celeste, formula for, 12, 360.
Moeller, H., 385.
Mold—
 green, description, 318.
 on orange, 407.
Moldy root of vine, 411.
Monilia fructigena—
 blight of peach twigs due to, 36.
 cherry disease ascribed to, 412.
 penetration of peach blossoms, 37.
 production of gum cavities, 38.
 rot of peaches due to, 37, 92, 412.
Montana fungi, new, 425.
Morchella, notes on, 429.
Morels, 190.
Morganthaler, J., 51.
Moldy core of apple, cause, 302.
Mosaic disease—
 of tobacco 382.
Mucronoporus, new species, 323.

- Mulberry tree, fungus affecting, 325.
 Muscardine on cabbage worms, 314.
 Mushrooms—
 anatomy, 186.
 casts of, at Chicago Exposition, 153.
 culture, 153, 185, 186.
 false, sold in market, 400.
 force of growth, 423.
 life history, 186.
 notes, 153, 186, 187, 427.
 of Japan, 426.
 of the United States, edible and poisonous, 187.
 varieties sold in market, 400.
 Mycomycetes, definition, 389.
Myriostoma coliforme, in Florida, 427.
 Myrobalan plum, budded—
 effect of ammoniacal copper carbonate, 254.
 effect of Bordeaux mixture, 254.
 experiments, 253.
 Myxomycetes—
 method of preserving and collecting, 194.
 new American, 193.
- N.
- Nasturtium, disease, 305.
 Nectarine—
 action of rust, 355.
 splitting, 404.
 Neosho, Mo., experiments, 16.
 Nessler's powder, formula, 174.
 New York State botanist, annual report, 147.
 New Zealand—
 edible fungus, 323, 400.
 fungi, 319, 425.
 Nozzles, effects of sprays on, 359.
 Nursery—
 experiments at Geneva, N. Y., plan, 257.
 soil, 261.
 stock—
 experiments on leaf diseases, 170, 240.
 leaf blight, experiments with fungicides, 338.
 list of budded, 258.
 notes, 262.
 treatment, 263.
 tumors on roots of, 405.
- O.
- Oak—
 fungus affecting, 423.
 trees, obscure disease, 404.
 Oats—
 bacterial disease, 160, 299.
 disease, 57.
 loose smut, 52.
 smut—
 notes, 160, 171.
 treatment, 372.
 treatment for rust, 225.
 Ohio rusts, list, 428.
 Oidium—
 pumpkin leaf, 411.
 sulphur for, 416.
 Old Dominion Fruit Company pear orchard, leaf
 blight affecting, 333.
 Olive—
 Phoma, 330.
 tuberculosis, 303, 304
 Onion—
 disease, 159, 300.

- Onion—Continued.
 mildew, remedy, 407.
 smut, experiments, 62, 161.
 Oomycetes, definition, 389.
 Oospores of Phytophthora, 423.
 Orange—
 blight, notes, 162.
 causes of disease, 29.
 cultivation in Florida, 28.
 die back—
 cause, 405.
 effect of soil, 295.
 diseases—
 in Florida, 27.
 notes, 295, 302, 304.
 effect of—
 dry weather, 29.
 low temperature, 28.
 fungus, 410.
 Mal-di-goma. (*See* Foot rot.)
 mold, 407.
 sore skin, 405.
 stocks, 405.
 Tahiti, foot rot prevalent in, 400.
 tree disease in Africa, 405.
 underground, 185.
 Orchard—
 diseases, a few common, 54,
 relation of forest to diseases of, 56.
 spraying, 310.
 trees, danger of excessive pruning, 403.
 Orchid anthracnose, 166.
 Oxaca, fungi of, 320.
 Oxide of iron for foot rot of orange, 167.

P.

- Paleontology from standpoint of botanist, 148, 154.
 Pammel, L. H., 95.
 Pancreatic disease, 413.
 Parasite and host, relations 150 157.
 Parasites on plants and animals, 190.
 Parasitic—
 enemies of cultivated plants, 153.
 fungi, nature, 51.
 Parasitism—
 effect on flowers, 297.
 in plants, 158, 388.
 Paris green and Bordeaux mixture, 310.
 Paris, study of plant diseases, 294.
 Passion-flower cuttings, disease, 305
 Peach—
 black spot, 91, 374.
 blight—
 due to *Monilia fructigena*, 36.
 symptoms and lesions, 37.
 blister, prevention by sulphate of copper, 173.
 brown rot, 92.
 budded on—
 Marianna plum, 227.
 Cercospora, 375.
 clubbed branches, 93.
 curl—
 effect of weather, 88, 314, 375.
 in Victoria, 404.
 prevalent in Ohio, 412.
 preventives, 314, 421.
 frosty mildew, 91.
 leaf rust, 92, 412.

Peach—Continued

- micro-organisms from diseased trees, 230.
- mildew, notes, 90, 91, 375.
- orchard—
 - affected with curl, 89.
- root rot, 377.
- rosette—
 - additional notes, 226.
 - communicability, 157.
 - conclusions regarding, 230, 231.
 - description, 296.
 - experiments in Georgia, 227.
 - extension in the South, 403.
 - notes, 94, 226, 304.
 - root inoculations, 228.
- rot—
 - notes, 92, 174, 412.
 - treatment, 417.
- rust—
 - in Africa, 410.
 - notes, 92, 355, 411, 412.
 - winter treatment, 355.
- stem and root tumors, 93, 376.
- splitting of fruit, 374, 404.
- trees—
 - connected with almond disease, 67.
 - disease in Africa, 404.
 - foliage affected by fungicides and insecticides, 77.
 - gumming, 38, 402.
- yellow—
 - appearance, 93.
 - cause, 269, 294, 404.
 - chemistry, 157.
 - communicability, 157.
 - cure, 294.
 - distribution in United States, 155.
 - dread of in California, 155, 156, 294.
 - eradication, 295.
 - fertilizers, 296.
 - in Africa, 404.
 - in Connecticut, 156.
 - in Eastern-grown trees, 294, 404.
 - in Michigan and Maryland, 402.
 - in New York State, 154.
 - in Victoria, 404.
 - law, 306.
 - law in Michigan, 169.
 - notes, 60, 155, 156, 174, 304.
 - occurrence, 404.
 - prevalence, 93.
 - remedy, 156.
 - theories, 156.
 - transferring by knife, 294.
 - vs. Agaricus melleus*, 377, 404.

Peaches, wilting on trees, 375.

Pear blight—

- eradication, 295, 374.
- exemption of trees from, 94, 374, 405.
- notes, 163, 165, 174, 408, 412.
- remedy, 313.
- variety in relation to, 94.
- weather in relation to, 374.
- Windsor—
 - notes, 411.
 - remedy, 410.

Pear—

- blossom blight, 411.
 - disease—
 - new, 303.
 - notes, 94, 304, 411.
 - French, budded, 258, 261.
 - injured by blight, 95.
 - leaf blight—
 - Bordeaux mixture for, 175, 312.
 - description, 241.
 - Effect of ammoniacal copper carbonate, 243.
 - effect of Bordeaux mixture, 243.
 - experiments to prevent, 241.
 - first appearance of in spring, 94.
 - notes, 168, 174, 304.
 - of Japan stocks, effect of ammoniacal copper carbonate, 245.
 - spraying for, 419.
 - treatment, 174, 300, 307, 309, 310, 333, 335, 411, 417.
 - leaves, effect of—
 - bichloride of mercury, 267.
 - chloride of lime, 267.
 - mite, treatment, 302.
 - orchard—
 - cost of spraying, 338.
 - spraying outfit, 337.
 - rust, 62.
 - scab—
 - effect of weather, 94.
 - notes, 307.
 - time of appearance, 94.
 - treatment, 302, 309, 310, 408, 417.
 - seedlings—
 - effect of leaf blight, 242.
 - experiments, plan, 340.
 - experiments with, 338.
 - leaf blight, action of fungicides, 351.
 - treatment for leaf blight, 169.
 - spotting and cracking, 405.
 - stocks—
 - American, budded, 259, 261.
 - American, effect of ammoniacal copper carbonate on leaf blight, 247.
 - American, effect of Bordeaux mixture on leaf blight, 247.
 - diseases, 410.
 - effect of leaf blight, 242.
 - Japan, budded, 259, 261.
 - treatment of American, 246.
 - treatment of Japan, 245.
 - weight and measurement, 244.
 - trees, Bordeaux mixture for lichens, 264
- Pea-root tubercles, 385.
- Peck, C. H., 147.
- Pectin compounds—
 - in cell walls of plants, 140.
 - list of reagents for staining, 142.
- Pelargonium blight, 166.
- Pepinos, disease, 300.
- Pepper, disease, 300.
- Pepper tree, disease, 413.
- Peridermium, one stage on Ribes, 401.
- Peridermium pini*, 398, 428.
- Peronospora—
 - description of two new species, 105.

Peronospora—Continued.

- fungicides, 312.
- gangliiformis, study of, 298.
- hyoseyami, on tobacco, 298.
- on cucumbers, 62.
- on Gonolobus, 49.
- on melon, 376.

Peronosporaceæ—

- addition to list of Kansas, 61.
- disarticulation of conidia in, 144.
- diseases caused by, 51.
- in herbarium of Division of Vegetable Pathology, 109.
- notes, 184, 426.
- structure of, 143.

Peronosporites antiquarius, description, 270.

Perret mixture, adhesiveness, 310.

Petunia blight, 414.

Peziza of larch, 397.

Phacidium pusillum, emendations, 330.

Phalloideæ, notes on development, 395.

Phanerogams, symbiotic action of fungi, 157.

Phosphorescent bacteria, species, 176, 318.

Phragmidium and Puccinia, relationship, 317.

Phycomycetes—

- classification, 135.
- definition, 389.
- description of new species, 184.

Phytophthora infestans—

- absent in potato experiment, 27.
- not in New South Wales, 406.
- oospores in, 270, 423.

Pierce, N. B., 66, 232, 354.

Pine—

- blister, 413.
- fungi, 398, 413.
- leaf rust, new, 44, 326.
- needles, cause of shedding, 304, 396.
- nonparasitic disease, 305.

Plant diseases—

- does it pay to spray for, 175.
- economic study, 59.
- experiments in treatment, 12, 309.
- in Victoria, 402.
- Kirchner on, 286.
- notes, 153, 154, 159.
- relation of parasitic fungi, 158.
- study and prevention, 169.
- study at Paris, 294.
- study in Germany, 294, 401.
- weather affecting, 88, 293, 373.

Planting, effect of deep, 295.

Plant lice, fungous enemy, 423.

Plants—

- chlorotic, Sach's work, 154.
- cultivated, parasitic enemies, 153.
- Diamond Island, list, 153.
- diseases of ornamental, 166.
- forage, fungi affecting, 95.
- parasitism, 158, 190.
- substances in cell walls, 140.
- variegated, extensively planted in India and Java, 382.

Plasmodiophora brassicæ, cause of club root, 86.

Plum—

- action of rust, 355.

Plum—Continued.

- black knot, 54, 56, 60, 101, 171, 300, 302, 303, 412.
- black knot, treatment, 302, 313, 420.
- black spot. (See Plum scab).

bladder, 409.

blight—

- notes, 94.
- treatment, 173.

buds used in experiment, 253.

diseases, 408, 411.

fruit spot, 410.

fungi affecting, 164.

rosetted Kelsey, budded on Marianna, 227.

rosetted Kelsey, budded on peach, 228.

leaf—

- blight, experiments, 253.
- rust, 412.
- spot—
 - defoliation by, 62.
 - treatment, 174.

Marianna—

- budded with rosetted Kelsey, 227.
- budded from healthy side of rosetted peach, 227.
- effect of ammoniacal copper carbonate, 255.
- effect of Bordeaux mixture, 255.
- experiments, 254.

Myrobolan—

- effect of ammoniacal copper carbonate, 254.
- effect of Bordeaux mixture, 254.
- experiments, 253.

pockets, 302, 304.

rot, treatment, 307, 415.

rust, experiment in treating, 174.

scab, 99, 100.

shot-hole fungus, 60, 311.

Podaxon, new species, 324.

Podosphaera oxycanthæ on cherry, 251, 256.

Poisoning by fungi, 316, 424.

Poison on—

- apples, 309.
- fruit, 307.

Pole-burn of tobacco, 409.

Polymorphism, discussion, 51.

Polyporei—

- action on trees, 397, 405.

Polyporites bowmanni, fossil, 296.*Polyporus sulphureus*, on trees, 405.

Poplar—

- bacterial disease, 305.
- disease of black, 408.

Potassium—

- bichromate solution—
 - treatment for wheat rust, 218.
 - use in soil, 204.
- ferrocyanide, test for free copper in Bordeaux mixture, 337, 340, 368.
- sulphide—
 - adhesiveness, 204.
 - effect on wheat plants, 203, 215, 218, 219.
 - for corn smut, 171.
 - formula, 201.
 - injury, 205.

Potato blight (Phytophthora)—

- Bordeaux mixture for, 159, 172, 175.
- controlling influence of temperature, 400.

Potato blight (*Phytophthora*)—Continued.

- in Ireland, 162.
- in Malta, 417.
- notes, 62, 171, 174, 307, 407.
- not in New South Wales, 406.
- treatment, 168, 308, 419, 422.

Potato diseases—

- Bordeaux mixture for, 173, 174, 175, 306, 386, 387.
- in England, 386.
- in foreign countries, 387.
- necessity of early treatment, 173.
- notes, 299, 408.
- remedies, 408, 414, 415, 416, 417, 418, 420.
- report on recent experiments in checking in United Kingdom and abroad, 386.
- results of experiments, 387.
- spread, 301.
- sulphate of copper for, 173, 176, 307, 309.
- Tait's anti-blight powder for, 173.

Potato—

- downy mildew. (*See* Potato blight.)
- fungus, life history, 180.
- Macrosporium*, 408.
- rot—
 - Bordeaux mixture as a preventive, 55.
 - in Belgium, 313.
 - increase ascribed to nitrogenous fertilizers, 415.
 - notes, 57, 171, 301.
 - treatment, 23, 174, 310, 311, 411.
- scab—
 - notes, 57, 61, 159, 298, 300, 301.
 - remarks on the fungus, 103.
 - treatment, 159, 311, 409.

Potatoes—

- affected by *Spongospora solani*, 103.
- analysis of, from field treated with copper, 174.
- copper on, 402.
- cost of treatment for rot, 26.
- germination retarded by Bordeaux mixture, 174.
- lime as a preservative, 173.
- remarks on fungus affecting, 103.
- rot in late, 307.
- yield of treated plants, 25.

Pourridie of vine, 149, 411.

Powdery mildew of—

- apple, 256, 309, 411.
- cherry, 251.
- cucumber, 408.
- fruit trees, 412.
- grape—
 - notes, 169, 306, 373.
 - treatment, 309, 311.
- nursery stock, treatment, 170.
- rose, 411.

Prune, action of rust on, 354.

Prune rust—

- cost of treating, 362.
- distribution, 354.
- notes, 354.
- stocks affected by, 354.
- treatment, 356.

Puccinia—

- and *Phragmidium*, relationship, 317.
- bacteria on, 325.
- description of new species, 281.

Puccinia—Continued.

- graminis in Kansas, 218.
- graminis, on wheat in Australia, 288.
- in Ecuador, 327.
- in India, 325.
- in Sweden, 327.
- new species, 281.
- notes, 328.
- rubigo-vera*—
 - appearance on wheat in spring, 212.
 - in Kansas, 217, 218.
 - on wheat in Australia, 288.
 - on Saxifragaceae, 54.

Puff ball, large, 323, 324.

Pumpkin leaf. *Oidium*, 411.

Q.

Queensland—

- flora, 319.
- fungi, 424.

Quince—

- Angers, stocks, effect of ammoniacal copper carbamate, 248.
- Angers, stocks, effect of Bordeaux mixture, 248.
- leaf blight—
 - experiments, 247.
 - notes, 168.
 - remedy, 411, 417.
- spot, treatment, 422.

R.

Radish—

- diseases, 300.
- mildew, 56.

Ramularia, new species, 47.

Raspberry—

- anthracnose, treatment, 170, 410, 420.
- diseases, 163, 164.
- root fungus, 408.
- rust, 57.
- rust in Pennsylvania, 312.
- Septoria, treatment, 22, 26, 310.

Reviews of recent literature, 50, 135, 282, 378.

Rhizomorpha sigillariae, fossil, 272.

Rhododendron—

- disease, 305, 413.
- fungi, 325.

Ripe rot of—

- apple, description, 304.
- grape, description, 304.

Rockport, Kans.—

- wheat-rust experiment, 216, 222, 223, 225.
- yield of straw and grain, of wheat, 219, 221.

Root—

- and stem tumors, 93, 376.
- inoculations of peach, 228.

knot—

- on apple trees, 294.
- of Begonia, treatment, 421.

rot—

- disease of beet, 303.
- of peach, 377.

symbiosis, theory 388.

tubercles—

- albumen bacteroids, 385.
- amylodextrin bacteroids, 385.

Root—Continued.

- tubercles—Continued.
 - of pea, no dimorphism in, 385.
 - of trifolium, 386.

Rose—

- blight, notes and treatment, 417.
- cuttings, attacked by fungi, 305.
- leaves—
 - disease, 378.
 - injury to, by asphalt vapors, 378.
- mildew—
 - sulphur, 312.
 - treatment, 313.

Rosette of peach. (*See* Peach rosette.)**Rot—**

- bitter, of apple, remedy, 411.
- black, notes, 54, 163, 174.
- black, of grape, copper sulphate and soda for, 311.
- brown, of grapes, prevention, 62.
- of sweet potatoes, 55, 411.
- soft, of sweet potatoes, 56.
- stem, of sweet potatoes, 160.
- stem, of tobacco, 409.

Rot of—

- lettuce, 408.
- peach—
 - notes, 92, 174, 412.
 - roots, 377.
 - treatment, 307, 415.
- plum, treatment, 307, 415.
- potato—
 - in Belgium, 313.
 - notes, 57, 171, 407.
 - treatment, 174, 310, 311.
- scarlet clover, 411.
- tomato, prevention, 409, 420.

Roumèguère, notice, 400.**Rubus, disease, 165.****Russia—**

- diseased grain, 302.
- fungi from, 321.

Rust—

- affecting wheat and other cereals, experiments in treating, 195, 226.
- amount on wheat plants, 211.
- black, of cotton, 53, 299.
- fungi, 158.
- in Australia, 423.
- in India, 208.
- resisting wheats, 196.
- white, of beets, 102.

Rust of—

- apple, 164, 408.
- apple, treatment with Bordeaux mixture, 174.
- beans, 63.
- beet, 303.
- beet leaf, cause, 408.
- blackberry—
 - in Pennsylvania, 312.
 - mycelium, 310, 328.
 - notes, 57, 162, 408.
 - treatment, 417.
- bramble, 412.
- carnations, 167, 305, 306, 413, 414.
- celery, 299.

Rust of—Continued.

- cereals, 52, 174, 301.
- cereals, prevention, 53.
- clover, 90.
- coffee, 299, 381.
- cotton—
 - description, 48.
 - in Ecuador, 47, 320.
- elder, 57.
- grape in New York, 310.
- hollyhock, 44, 57.
- hop in Africa, 404.
- marsh mallow, connection with wheat rust, 302.
- peach—
 - in Africa, 410.
 - leaf, 412.
 - note on, 92.
- pears, 62.
- pine, new, 44, 326.
- plum leaves—
 - notes, 412.
 - treatment, 174.
- prune—
 - cost of treating, 362.
 - distribution, 354.
 - treatment, 356.
- raspberries, 57.
- raspberries in Pennsylvania, 312.
- rye, 62.
- strawberries, 62.
- wheat—
 - ammoniacal copper-carbonate treatment, 218, 219.
 - Bordeaux-mixture treatment, 218, 219.
 - cause, 408.
 - conference in Australia, 287.
 - copper sulphate for, 415.
 - corrosive sublimate treatment, 218.
 - dissemination of spores, 298.
 - experiments at Garrett Park, Md., 195, 212.
 - experiments at Manhattan, Kans., 213.
 - experiments at Rockport, Kans., 216, 222, 225.
 - experiments to prevent, 195.
 - ferrous-sulphate treatment, 218, 219.
 - fungicides, used for, 199, 216, 222.
 - general condition of plants, 210, 211.
 - hot-water treatment, no benefit from, 218, 219.
 - immersion of seed, 198.
 - in Africa, 299.
 - in Australia, 195.
 - insects eating, 319.
 - in United States, 196.
 - loss in Australia, 287.
 - notes, 300.
 - potassium-bichromate treatment, 218.
 - potassium-sulphide treatment, 218, 219.
 - remedy, 298.
 - soil treatment, 198.
 - spraying, 172, 196, 198.
 - spreading, 209, 315.
 - Strawsonizer, 308.
 - sulphate-of-iron treatment, 218.
 - sulphur treatment, 218, 219.
 - time of appearance, 206, 208.
 - treatment, 288, 415, 419, 421.

Rust of—Continued.

- wheat, effect of—
 - ammoniacal copper carbonate, 210.
 - basic cupric acetate, 223.
 - Bordeaux mixture, 208, 210, 214, 216, 224.
 - copper borate, 223.
 - cupric ferrocyanide, 223.
 - cupric hydroxide, 224.
 - cupric polysulphide, 224.
 - ferrous ferrocyanide, 210, 224.
 - iron borate, 224.
 - iron sulphide, 224.
 - tricupric orthophosphate, 224.
 - zinc borate, 224.

Rusts of Ohio, list, 428.

Rye (*See Cereals*)—

- disease, 408.
- rust, 62.
- smut, 62.

S.

Saccardo's Sylloge—

- prize for, 293.
- species omitted from, 424.

Salsify, disease, 300.

Sal soda, cost, 239.

San José nozzle, effect of sprays on, 359.

Sarauw, G. F. L., 387.

Scab of—

apple—

- description, 303.
- in Virginia, 306
- great prevalence of, 373.
- notes, 174, 409.
- treatment, 168, 173, 174, 176, 299, 306, 308, 310, 311, 408, 417, 418, 420, 422.

beet, 303.

lemon, 162.

orange—

- cause and remedies, 34.
- distribution, 34.
- nature, 34.

pear—

- effects of weather on appearance, 94.
- notes, 307.
- treatment, 302, 309, 310, 408, 417.

plum, 99, 100.

potato—

- notes, 57, 61, 159, 298, 300, 301.
- treatment, 311, 409.

wheat—

- description, 301.
- notes, 96, 158, 407, 411.

Scalding of grapes, 164.

Scarlet clover rot, 411.

Schizomycetes, classification, 430.

Scottish fungi, 321, 426.

Screw palm, leaf spot, 60.

Seedling, definition, 241.

Seeds, effect of fungicides on vitality, 308.

Septoria graminum—

- abundance on wheat, 211.
- appearance on wheat, 210.
- in Kansas, 218.

Septoria of—

- blackberry, treatment, 22, 23, 26, 310.

- raspberry, treatment, 22, 23, 26, 310.

Sereh disease of sugar cane, 295.

Seymour, A. B., 135.

Shot hole—

- disease of apricot, 411.
- fungi, 66, 233, 411.
- fungus of plum, treatment, 311.

Silk worm, infected with Isaria, 191.

Smith, Erwin F., 36, 88, 226, 373.

Smut—

- brome, 98.
- fungi, 56, 315.
- Jensen's treatment of seed oats and wheat, 57.
- loose, of wheat, treatment, 172.
- prevalence, 97.
- stinking, of wheat, treatment, 170, 171

Smut of—

- cereals, 52, 53, 174.
- cereals, treatment, 311, 407.
- citron, 410.
- clover, 99.

corn—

- experiments, 171.
- influence on cattle, 317.
- notes, 174, 410.
- treatment, 421.

grain, treatment, 418.

oats—

- loose, 52.
- notes, 160, 171.
- treatment, 301, 311, 314, 372, 408.

onions, 62, 161.

rye, 62.

sorghum, notes, 57, 172.

tall meadow oat grass, 98.

timothy, 98.

wheat—

- notes, 300.
- prevention, new method of treating grain by Jensen process, 372.
- treatment, 175, 298, 314, 416, 419, 422.

Soap—

- added to Bordeaux mixture, 370.
- eau celeste, 347.
- use in making fungicides, 202.

Soft rot of sweet potatoes, 56.

Soil—

- copper absorption from, 402.
- copper in, 307, 308, 313.
- effect on orange die-back, 295.
- in nursery experiment, 261.
- reaction of copper sulphate, 312.
- rot of sweet potato, 300.
- treatment in wheat-rust experiment, 198.

Solms-Laubach, H., 148.

Sooty mold of oranges, 35, 363, 364.

Sore shin of orange, 405.

Sorghum smut, 58, 172.

Southern tomato blight, 300.

Spermatia, germination of, 50.

Spinach—

- disease, 300.
- mildew, 57.

Sporangia, development of asci from, 390.

- Spores—
 diffusion, 177.
 endogenous formation in *Chalara ungeri*, 5.
 germination, discussion, 51.
- Spot disease of—
 beet, 303.
 cherry—
 notes, 182.
 treatment, 174.
 currants—
 notes, 192.
 treatment, 174.
 gooseberries, 192.
 peach, 91, 374.
 pear (*See* Pear leaf blight), 94.
 plum, treatment, 174.
- Spot of—
 plum fruit, 410.
 quince, treatment, 422.
- Spotting and cracking of pears, 405.
- Sprayed fruit—
 copperon, 402.
 harmless, 309.
- Sprayer, Japy knapsack, notes, 39, 40, 41.
- Spraying—
 apparatus, 169, 203, 312.
 crops, 314.
 does it pay? 169, 175.
 in Illinois, 313.
 machines—
 fittings, 306.
 notes, 174, 313, 418, 420.
 tests, 308.
 orchards, 175, 310, 333, 337, 456.
 pear orchard cost, 338.
 pump, new, 309.
 tank, description, 358.
 value of, for vines, 402.
- Spraying for—
 almond disease, 235.
 apple scab, 17.
 black rot of grape, 12.
 fungous diseases, 176.
 leaf-blight, 333, 338.
 prune rust, 356.
 wheat rust, 173, 196, 198.
- Starch, in fungi, 177, 315.
- Stem rot of—
 sweet potato, 160.
 tobacco, 409.
- Stinking smut of wheat—
 fungicides, 171.
 Jensen hot-water treatment, 170, 171.
- Stock—
 definition, 241.
 effect of leaf-blight on pear, 242.
 in nursery experiment, 262.
- Strawberry leaf-blight—
 notes, 411.
 remedies, 174, 302, 308, 411, 417.
- Strawberry—
 disease, remedy, 416.
 leaves and asphalt vapor, 378.
 mildew, treatment, 415.
 notes, 162.
- Strawberry—Continued.
 rust, 62.
- Strawsonizer, for wheat rust, 307, 308.
- Straw—
 weight in Manhattan experiment, 215.
 yield at Rockport, Kans., 219, 221, 224.
- Sugar beet—
 disease, 303, 406.
 heart rot, 161.
 treatment, 416.
- Sugar cane—
 disease, 407.
 Sereh disease, 295.
- Sulphate of—
 copper. (*See* Copper sulphate.)
 iron solution—
 description, 174.
 treatment for wheat rust, 218.
- Sulphosteatite—
 adhesiveness, 204.
 cupric, 175.
 experiments, 312.
 notes, 202.
- Sulphur—
 adhesiveness, 204.
 and lime treatment for wheat rust, 218, 219.
 flowers of, 202.
 treatment for wheat rust, 218.
- Sun scald in orchard trees, 403, 405.
- Sweden—
 first appearance of *Puccinia malvacearum* in, 327.
 fungi, 322.
- Sweet potato black rot—
 characteristics, 2.
 conidia, 3.
 conidiophores, 6.
 cultures, 3.
 distribution, 1.
 extent of damage, 1.
 external appearance, 2.
 inoculations, 9.
 Macroconidia, 5.
 Microconidia, 5.
 mycelium, 5.
 notes, 1, 55, 300, 411.
 preventive measures, 9.
 probable life history, 9.
 Pycnidia, 3, 8.
 Pycnospores, 3, 8.
 spores, 7.
- Sweet potato—
 diseases, 419.
 effect of Bordeaux mixture, 174.
 experiments, 299.
 soft rot, 56.
 soil rot, 300.
 stem rot, caused by a new *Nectria*, 160.
- Swingle, J. F., 214.
- Swingle, W. T., 109, 395.
- Sycamore blight, 95, 413.
- Sylloge Fungorum, prize for, 153, 293.
- Symbionts, definition, 388.
- Symbiosis—
 in fungi, 428.
 root, 387.

T.

- Tahiti orange, for California, 400.
 Tait's antlight for potato disease, 173.
 "Take-all"—
 in Australia, 289, 294, 402.
 remedies, 405.
 Tall meadow oat grass, smut, 98.
 Tannin in—
 cells of leaves, injury on account of, 378, 379.
 leaves, reaction, 379.
 Taphrina—
 in Italy, 329.
 on peach in Maryland, 88.
 Tar burning for protecting plants from frost, 416.
 Technique, 56.
 Terfazias, 188.
 Thaxter, R., 278.
 Thelephoreæ, 427.
 Thelocarpon, 329.
 Timothy smut, 427.
 Tobacco—
 analysis of diseased, 383.
 bacteria in diseased, 384.
 diseases—
 cause, 384.
 in Australia, 407.
 notes, 162, 408.
 experiments, 382.
 inoculation with diseased, 384.
 mildew, 407.
 mosaic disease, 382.
 Peronospora hyoseyami, damage from, in Australia, 298.
 pole burn, 409.
 sap of diseased infectious, 384.
 stem rot, 409.
 Toboshi, mushroom of Japan, 426.
 Tomato—
 blight, Southern, 300.
 disease—
 in Teneriffe, 403.
 treatment, 417.
 mildew, treatment, 415.
 rot, prevention, 409, 420.
 worms, fungous disease, 61.
 Tomatoes, copper on, 308.
 Toxicology of copper compounds, 309.
 Tracy, S. M., 43, 281.
 Trees, forest—
 diseases, 102, 166, 396.
 diseases due to mechanical injuries, 305.
 fungi, 413.
 Polyporei, 405.
 preservation, 162.
 relation to orchards, 56.
 Trehalose—
 crystallizing, 331.
 in fungi, 176, 177, 315.
 Tremellinæ, 426, 427.
 Tricupric orthophosphate mixture—
 effect on wheat rust, 224.
 formula, 222.
 notes, 345.
 Trifolium, root tubercles in, 386.
 Trimorphism in Uromyces, 327.
 Truffle, new species, 429.

Truffles—

- notes, 188, 189.
 of Bagdad, 188.
 of Smyrna, 188.

Tubercles—

- albumen bacteroids in root, 385.
 amyloextrin in root, 385.
 of pea roots not dimorphic, 385.
 on roots of Leguminosæ, 297.
 on trifolium roots, 386.

Tuckahoe, account, 323, 324.

Tumors, on roots and stems, 93, 376.

Turnips—

- club root, 316.
 disease, 300.

U.

Uncinula spiralis, life history, 316.

Underwood, L. M., 27.

Uredinæ—

- new genera, 328.
 new species, 43.
 notes, 42, 187, 325, 326, 327.
 some, of the United States, 42.

Urocystis in Italy, 329.

Uromyces—

- description, 281.
 new species, 43.
 notes, 42, 187, 325, 326, 327.

Ustilaginæ, 51, 325, 326.

Ustilago, new species, 328.

V.

Vaccinium disease, 304.

Variegated plants and fungi, 406.

Variegation, common in ornamental plants of India and Java, 382.

Vasquez, Señor, 48.

Vegetables, cracking, 163.

Vermorel nozzle for spraying, 202, 203, 359.

Viala, P., 149.

Vine—

- blight, 304.
 cuttings from United States, importation prohibited by Austro-Hungarian Government, 101.

disease—

- California, 154, 294.
 in Baden, 410.
 in Russia, 165.
 notes, 411.
 treatment, 417.

mildew—

- Portuguese remedy, 169.
 treatment, 307.
 Oidium, sulphur for, 416.
 pourridié of, 149, 411.

Vineland, N. J., experiments, 16.

Vines, new disease, 403.

Vineyard, results of treatment, 12.

Violet—

- disease, 300, 305, 306, 404.
 cause, 297.
 remedy, 296, 403, 422.
 roots, fungi in, 414.

Vitis vinifera—

- diseases, 286.
 effect of lightning, 296.

Von Tavel, F., 389.

W.

- Waite, M. B., 33, 264, 333.
 Ward, H. M., 150, 396.
 Washington, botany at meeting of A. A. A. S., 293.
 Wax on leaves, use, 297.
 Weather—
 and plant diseases, 91, 92, 94, 95, 293, 373, 374, 375, 400, 401.
 effect on apple scab, 373.
 effect on peach curl, 88, 314.
 record at Garrett Park, Md., 209.
 Webber, H. J., 363.
 Wetting power of fungicides, 202.
 Wetting quality of Bordeaux mixture and soap, 370.
 Wheat—
 (See Cereals.)
 abundance of *Septoria graminum*, 211.
 appearance of *Puccinia rubigo-vera*, 212.
 Australian, harvest, 160.
 blight, 95, 408.
 diseases, 95.
 experiments, synopsis, 218.
 plants, effect of—
 ammoniacal solution, 215.
 Bordeaux mixture, 215.
 potassium sulphide, 215.
 rust—
 ammoniacal copper carbonate treatment, 218, 219.
 and rust of marsh mallow, 302.
 and smut, 300.
 Bordeaux mixture treatment, 218, 219.
 cause, 408.
 conference in Australia, 287.
 copper sulphate, 415.
 corrosive sublimate treatment, 218.
 ferrous-sulphate treatment, 218, 219.
 hot-water treatment, 218, 219.
 in Africa, 299.
 in Australia, 195, 288.
 in United States, 196.
 insect eating, 319.
 iron borate, 224.
 iron sulphide, 224.
 loss from in Australia, 287.
 potassium bichromate treatment, 218, 219.
 potassium sulphate treatment, 218, 219.
 remedy, 298.
 spores, dissemination, 298.
 spraying for, 173, 196, 198.
 spread, 209, 315.
 Strawsonzier for, 308.
 sulphate of iron treatment, 218.
 sulphur and lime treatment, 218, 219.
 sulphur treatment, 218.
 time of appearance, 206, 208.
 treatment, 415, 419, 421.
 tricupric orthophosphate, 224.
 zinc borate for, 224.

Wheat—Continued.

- rust, effect of—
 ammoniacal copper carbonate, 210.
 basic cupric acetate, 223.
 Bordeaux mixture, 208, 210, 214.
 copper borate, 223.
 cupric ferrocyanide, 223.
 cupric hydroxide, 224.
 cupric polysulphide, 224.
 ferrous ferrocyanide, 210, 224.
 iron borate, 224.
 iron sulphide, 224.
 tricupric orthophosphate, 224.
 zinc borate, 224.
 rust experiments, 195, 214.
 rust experiments at—
 Garrett Park, Md., 197, 212.
 Manhattan, Kans., 213, 214.
 Rockport, Kans., 216, 222, 223, 225.
 rust experiments—
 conclusions, 195, 225.
 fungicides used, 199, 216, 222.
 general condition of plants, 210, 211.
 plan, 197.
 result, 203.
 soil treatment, 198.
 scab—
 description, 301.
 notes, 95, 158, 407, 411.
 seed—
 effect of copper on vitality, 421.
 immersed in fungicides, etc., for rust, 198.
 smut, loose—
 fungicides to prevent, 172.
 treatment, 208, 314, 416, 419, 422.
 yield in United States, 195.
 Wheats, rust-resisting, 196.
 White worm, fungus affecting, 178, 190, 191.
 Wild and cultivated plants, interrelations, 56, 406.
 Wilt. (See Blight of orange).
 Windsor pear blight—
 notes, 411.
 remedy, 410.
 Wine industry of Russia, 165.
 Wines, French, 173.
 Wireworms, fungus killing larva, 192.

 Y.
 Yeast—
 fermentation, 424.
 method of obtaining ascospores, 430.
 Yellows (See Peach).
 Yeasts, list, 179.

 Z.
 Zinc-borate mixture—
 effect on wheat rust, 224.
 formula, 222.
 notes, 350.
 Zinc—
 ferrocyanide mixture, 350.
 silicate mixture, 350.
 sulphide mixture, 350.
 Zopf, 282, 284, 389.

INDEX TO HOSTS.

- A.
- Abies concolor*, 166.
frazeri, 166.
Abutilon, 46, 305.
indicum, 46.
periplocifolium, 46.
Acacia, 321, 425.
Acer campestre, 321.
glabrum, 181.
macrophyllum, 166.
rubrum, 133, 181, 182, 319.
saccharinum, 132, 181, 319.
Acnida cannabina, 181.
tuberculata, 61.
Aconitum lycoctonum, 329.
napellus, 321.
Acridium perigrinum, 178, 191.
Æcidium podophylli, 182.
Æsculus, 301.
glabra, 102.
hippocastaneum, 181, 183.
Agave americana, 315.
rigida, 315.
salmiana, 315.
Agropyrum glaucum, 131, 319.
repens, 98, 161.
Agrostis, 330.
stolonifera, 321.
vulgaris, 422.
Aleyrodes citri, 363.
Alfalfa, 161, 411.
Algæ, 135, 322.
Alisma plantago, 181.
Allionia incarnata, 113.
Allium ampeloprasum, 326.
cœpæ, 184.
Almond, 66, 78, 232, 304, 354, 360.
Alnus incana, 320.
Alopecurus, 98.
Alternanthera, 414.
achyrantha, 320.
Althæa rosea, 44, 45, 47.
Amarantus chlorostachys, 115.
chlorostachys var. *hybridus*, 115.
crispus, 115.
retroflexus, 116.
spinosus, 115.
Ambrosia, 112.
artemisifolia, 112, 119.
trifida, 119.
Amelanchier canadensis, 61, 280,
Ammophila arenaria, 321.
arundinacea, 321.
Ampelopsis quinquefolia, 276.
veitchii, 57.
Andropogon annulatus, 326.
argenteus, 320.
muricatus, 320.
provincialis, 320.
virginicus, 189, 281, 320.
Anemone nemorosa, 179.
pennsylvanica, 116.
ranunculoides, 179.
Angelica atropurpurea, 181.
Anguillæ, 322.
Animals, 139, 293, 322.
Ant, 191, 329, 425.
Anthoxanthum, 98.
Antirrhinum majus, 183.
Apple, 54, 55, 153, 154, 162, 163, 164, 167, 168, 170,
173, 174, 175, 294, 297, 298, 299, 302, 303,
304, 306, 309, 310, 311, 373, 400, 408, 409
411, 412, 417, 418, 419, 420, 421, 422.
Apricot, 101, 156, 157, 354, 411.
Arabis, 326.
holbœllii, 122, 277.
Aralia racemosa, 181.
Aristida pungens, 281.
Arnica cordifolia, 181.
Arrhenatherum elatius, 428.
Artemisia biennis, 112.
camphorata, 182, 183.
cana, 181.
Asclepiadaceæ, 275.
Asparagus officinalis, 425.
Aspidosperma quebrachii, 322.
Asprella hystrix, 161, 276, 320.
Aster, 330.
novæ-angliæ, 118.
Astragalus alpinus, 326.
mellilotoides, 326.
Avena, 98, 327.
elatior, 98, 320.
- B.
- Baccharis*, 276.
Balanus balanoides, 428.
Bambusa, 320, 326.
Bambusaceæ, 322.
Bananas, 48, 407.
Banksia, 181.
Barberry, 327,

- Bark**, 320.
Barley, 53, 96, 97, 161, 301, 408.
Bauhinia grandiflora, 331.
Bean, 63, 298, 299, 407.
Beech, 182.
Beet, 102, 159, 161, 173, 189, 280, 301, 303, 408.
Beetle, 317.
Berberis, 327.
 glauca, 327.
Beta, 102.
Betula alba, 321.
Bidens chrysanthemoides, 61.
 connata, 119.
 frondosa, 119.
Bignoniaceæ, 322.
Birch, 166, 422.
Blackberry, 26, 57, 162, 163, 164, 168, 310, 311, 312, 328, 417.
Black raspberries, 420.
Blossoms, 56.
Blue grass, 98.
Boerhaavia diffusa, 113.
 erecta, 113, 115.
 hirsuta, 114, 115, 184.
 sonora, 114.
 spicata, 114.
 xanthii, 114.
Brassica, 79, 84.
 alba, 110.
 napus, 320.
 var. *napobrassica*, 320.
 nigra, 110.
Briza, 98.
Brome grass, 161, 301.
Bromus breviaristatus, 98, 161.
 ciliatus, 98.
Brousonetia, 319.
Buchloë dactyloides, 320.
Buckwheat, 62.

C.
Cabbage, 79, 153, 159, 160, 300, 316, 408.
 worms, 61, 314, 317.
Cacalia hastata, 325.
Cachrys, 326.
Calycanthus præcox, 183.
Camellia, 320, 425.
Campanula trachelium, 321.
Capparis cynophallophora, 276.
Capsella bursa-pastoris, 111.
Caragana, arborecens, 327.
 purpurea, 327.
Cardamine ludoviciana, 110.
Carduus pycnocephalus, 183.
Carex, 181.
 conoidea, 181.
 stricta, 42.
Carica, 322.
 papaya, 134, 319.
Carnation, 166, 300, 305, 306, 413, 414, 416, 418.
Carpinus americana, 131, 181, 182, 319.
Carrot, 80, 159, 300.
Carya alba, 181.
 tomentosa, 181.
Cassia chamæcrista, 133, 319.
 nictitans, 187, 330.

Castanea vesca, 182.
Castelleia, 326.
Catalpa bignonioides, 133, 319.
Cattleia, 403.
Cat, trachea of, 401.
Cauliflower, 79, 408.
Ceanothus thyrsiflorus, 181.
Cedar, 102, 164, 301.
Celery, 159, 161, 299, 305, 407.
Celtis, 331.
 australis, 183.
 occidentalis, 105, 125, 181, 320, 323.
Cenchrus tribuloides, 98, 161.
Centaurea aspera, 326.
Cerastium nutans, 121.
 viscosum, 121.
 vulgatum, 121.
Cereals, 53, 174, 301, 311, 400, 401.
Cereus triangularis, 183.
Cestrum, 328.
 pubescens.
Chamæcyparis sphæroidea, 166, 398.
Chenopodiaceæ, 102.
Chenopodium, 102.
 album, 57, 124.
 ambrosioides var. *anthelminticum*, 330.
Cherry, 56, 60, 62, 101, 153, 163, 164, 171, 174, 181, 192, 249, 300, 302, 354, 411, 412, 416.
Chestnut, 133, 319.
Chinch bugs, 316, 318.
Chloris, 187, 322.
 swartziana, 181.
Chrysanthemum, 305, 414, 423.
Chrysopsis graminifolia, 330.
Cicuta maculata, 181.
Cirsium ochrocentrum, 326.
Citron, 156, 409.
Citrus, 162, 315.
 aurantiaca, 322.
 trifoliata, 400.
Cladium tatraquetrum, 181.
Cladophora marina, 322.
Claytonia virginica, 130.
Clematis, 305.
 jackmani, 132, 319.
Cleome pungens, 320.
Clethra alnifolia, 59.
Clitoria mariana, 330.
Closterium, 322.
Clover, 58, 99, 161, 301, 327, 411.
Cnicus horridulus, 112.
 lanceolatus, 112.
Coffee, 48, 160, 299, 381, 407.
Colubrus natrix, 320.
Comandra umbellata, 187.
Compositæ, 325.
Conferva bombycina, 322.
Conifers, 396.
Convolvulaceæ, 187, 322.
Convolvulus, 112.
Coral, 271.
Cordia, 328.
 myxa, 183.
Corn, 56, 97, 161, 171, 174, 317, 408.
Cornus, 181.
 florida, 166.

Cornus—Continued.

- sanguinea, 320.
- stolonifera, 181.
- Corydalis, 122.
- Corylus avellana, 321.
- Cotton, 47, 48, 53, 58, 153, 159, 298, 299, 301, 320, 403.
- Crab apple, 102.
- Cranberry, 163, 170, 303, 311.
- Crataegus oxyacantha, 428.
- Crepis acuminata, 320.
- Croton, 322.
- Cruciferae, 80.
- Cucumber, 62, 160, 303, 408, 417.
- Wild Star, 57.
- Cucumis anguria, 125.
- sativus, 125.
- Cucurbits, 300.
- Cupressus thyoides, 61.
- Cupularia viscosa, 326.
- Currant, 101, 163, 164, 174, 192, 301.
- Cycas revoluta, 315.
- Cydonia, 280.
- Cynoglossum officinale, 126.
- virginicum, 126.
- Cyperaceae, 187.
- Cyperus cylindricus, 181.
- flavescens, 388.
- schweinitzii, 187.
- strigosus, 187.

D

- Dactylis glomerata, 189.
- Daffodils, 403.
- Dahlia, 315.
- Dates, 164.
- Daucus carota, 182, 320.
- Dentaria diphylla, 110.
- heterophylla, 122.
- laciniata, 122.
- Diatrype stigma, 320.
- Dicentra cucullaria, 122.
- Dichæna strumosa, 181.
- Dichondra, 326.
- Diodia virginiana, 330.
- Disocorea villosa, 181.
- Dipsacus sylvestris, 123.
- Draba caroliniana, 122.
- Draparnaldia glomerata, 322.
- Drumstick tree, 324.

E

- Echinosperrum redowskii var. cupulatum, 126, 129.
- var. occidentale, 126, 129.
- Eggplant, 160, 278, 300.
- Elaeagnus macrophylla, 331.
- reflexa, 183.
- Elder, 57.
- Eleusine ægyptiaca, 330.
- Elm, 315, 319.
- Elymus canadensis, 132, 161, 319.
- var. glaucifolius, 98.
- condensatus, 274.
- Eragrostis pectinacea, 281.
- Erechtites hieracifolia, 119, 181, 330.
- Erigeron, 119.
- canadense, 118.

Erigeron—Continued.

- philadelphicum, 119.
- Eriocoma caespitosa, 275.
- Eryngium pandanifolium, 322.
- Erythroxylon coca, 188.
- Eucalyptus, 181, 321, 425.
- paniciflora, 181.
- Eugenia, 181, 322.
- Euglæna, 322.
- Euphorbia, 326.
- amygdaloides, 179, 181.
- cordifolia, 125.
- corollata, 125.
- cyparissias, 179, 297.
- gerardiana, 321.
- humistrata, 125.
- hypericifolia, 125.
- palustris, 331.
- serpyllifolia, 125.
- verrucosa, 179, 297, 321.
- Euphorbiaceae, 322.
- Eurotia lanata, 326.
- Eustachys petraea, 181.

F

- Fagus, 105.
- solandri, 425.
- Ficus elastica, 60, 181.
- Filberts, 410.
- Flax, 156, 302.
- Forest trees, 301, 304.
- Formica, 425.
- Fourcroya gigantea, 315.
- Franseria discolor, 112.
- Fraxinus, 103, 166, 181, 182, 331.
- americana, 276, 277.

G

- Gagea arvensis, 326.
- Galactia pilosa, 330.
- Galium aparine, 61, 121.
- Gelsemium sempervirens, 131, 319.
- Geranium, 305, 320.
- carolinianum, 117.
- maculatum, 117.
- Geum album, 122.
- Glechoma, 326.
- Gleditschia triacanthos, 429.
- Globularia vulgaris, 328.
- Glycine, 425.
- Glycyrrhiza, 58.
- glabra, 58.
- lepidota, 42, 58.
- Gonolobus, 49, 320.
- suberosus, 119.
- Goodia, 425.
- Gooseberry, 101, 164, 168, 170, 173, 192, 301, 374, 418.
- Gossypium, 47, 48, 49.
- herbaceum (See Cotton), 47, 189.
- Grain, 53, 301, 313, 372.
- Gramineae, 322.
- Grape, 54, 55, 57, 59, 154, 163, 164, 165, 167, 168, 170, 174, 175, 294, 296, 299, 302, 303, 304, 306, 307, 308, 309, 310, 311, 312, 314, 317, 373, 422.

Grape—Continued.

- leaf hopper, 61.
- Grapevine, 403, 405, 420.
- Grass, 326, 425.
- Grub, 329.
- Gynaxis buxifolia, 328.
- pulchella, 328.

H.

- Hamelia, 322.
- Hedysarum setigerum, 327.
- Helenium autumnale, 181.
- Helianthus, 112, 119.
- grosse-serratus, 119.
- Hemizonia truncata, 43, 320.
- Hemp, 406.
- Hepatica acutiloba, 116.
- Hepialus virescens, 429.
- Hesperis matronalis, 300.
- Heteropogon melanocarpa, 328.
- Hickory wood, 320.
- Hilaria jamesii, 320.
- Holcus, 98.
- lanatus, 409.
- Hollyhock, 44, 45, 55, 57, 61, 164, 166, 167, 300, 306, 320, 400.
- Hordeum pratense, 281.
- Horse chestnut, 352.
- radish, 298, 300.
- Houstonia cœrulea, 43, 181, 326.
- Hydrangea, 55.
- Hydrophyllum virginicum, 107, 123, 323.
- Hyoscyamus, 298.
- Hypericum mutilum, 320.
- Hypoxys erecta, 278.

I.

- Iberis, 79.
- Ilex, 54.
- scopulorum, 331.
- scopulus, 331.
- Impatiens, 117.
- fulva, 117, 181.
- Indian corn, 410 (*See* Corn and Maize).
- India-rubber tree, 60.
- Insects, 191, 316.
- Inula viscosa, 183.
- Ipomœa, 113.
- batatas, 112.
- commutata, 113.
- hederacea, 113.
- incarnata, 113.
- lacunosa, 113.
- leptophylla, 113.
- pandurata, 113.
- purpurea, 330.
- Irish versicolor, 320.
- Isaria, 191.
- Iva ciliata, 112.
- xanthiifolia, 326.

J.

- Jasminum officinalis, 183.
- sambac, 182.
- Jatropha stimulosa, 330.

Juglans cinerea, 1

- nigra, 103.
- Junci, 388.
- Juncus, 326.
- chamissoni, 187.
- Juniperus, 56.
- communis, 61, 321, 329.
- sabina, 321.
- virginiana, 61, 102, 280.
- Jussiaea, 330.

K.

- Kalmia latifolia, 181.
- Kennedyia prostrata, 181.
- Krigia dandelion, 120.

L.

- Laburnum, 327.
- Lactuca, 120.
- canadensis, 120.
- integrifolia, 120.
- leucophæa, 120.
- macrorhiza, 325.
- sativa, 120, 158.
- scariola, 407.
- Lagerstroemia, 320.
- indica, 183.
- Lamium amplexicaule, 124.
- purpureum, 124.
- Larch, 166, 304, 397, 422, 426.
- Larix europæa, 413.
- leptolepis, 426.
- siberica, 320.
- Lathyrus latifolius, 181.
- palustris, 181.
- pisiformis, 327.
- sylvestris, 327.
- Lauracea, 322.
- Lecanium, 364.
- Leguminosæ, 80, 158, 187, 297, 322.
- Lemon, 155, 162, 181, 365, 420.
- Lentinus ursinus, 320.
- Leontodon hastilis, 325.
- Lepidium, 111.
- campestre, 111.
- intermedium, 122.
- virginicum, 111, 122.
- Lepidodendron, 270.
- Lepidosperma, 181, 425.
- Lepidospermum, 181.
- Leptogonium, 189.
- Leptospermum lævigatum, 181.
- Lettuce, 160, 312, 407, 408, 423.
- Libocedrus decurrens, 166.
- Lichen thallus, 320.
- Ligustrum vulgare, 182.
- Lily, 151, 167, 294.
- Lima beans, 62, 279.
- Lime, 157.
- Lindera benzoin, 181.
- Linseed, 162, 302.
- Livistonia chinensis, 320.
- Locust, 178, 314, 316.
- Lonicera, 330.
- tartarica, 320.
- Lophanthus nepetoides, 124.

Lucerne, 298.
Ludwigia alternifolia, 330.
Lychnis dioica, 158, 297.
 vespertina, 297.
Lycium vulgare, 275.
Lycopus canadensis, 181.
Lysimachia stricta, 320.

M.

Maclura aurantiaca, 320.
Madreporaria, 271.
Magnolia glauca, 133, 319.
 Maize, 298, 299, 407.
 Mallow, marsh, 302.
Malva, 45, 46.
 crispa, 45, 47.
 nicæensis, 45, 47.
 peruviana, 45, 47.
 Malvaceæ, 46, 49.
Malvastrum munroanum, 43, 326.
 Mango, 302.
 Maple, 181.
 Marsh mallows, 302.
Matthiola, 79.
 Meadow oat grass, 161.
Medicago denticulata, 181.
 sativa, 321.
Melilotus alba, 181.
 officinalis, 321.
 Melon, 160, 301, 303, 400.
Mespilus germanica, 321.
Mignonette, 300.
Mikania scandens, 181.
Milium, 98.
 Millet, 301, 328.
Modiola multifida, 330.
Mollugo verticillata, 320.
Morinda pterygosperma, 324.
Morrenia, 322.
Morus alba, 330.
Muhlenbergia, 192.
 complexa, 183.
 glomerata, 326.
 Mulberry, 319.
Muscari comosum, 297.
 Muskmelon, 373, 417.
Myosotis verna, 122.
Myrsine, 322.
Myrtus, 320.
 guavifolia, 322.

N.

Nasturtium, 305.
 armoracia, 111.
 sessilifolium, 111.
Nectandra, 322.
Nectarine, 354, 355.
Nectria coccineum, 320.
Negundo aceroides, 132, 181, 319.
Nelumbium, 54.
Nicotiana longiflora, 184.
 tabacum, 134.
Nyssa capitata, 320.

O.

Oak bark, 183, 321.
 limbs, 320.

Oak — Continued.

 plank, 321.
 trees, 404.
 Oat, 52, 56, 57, 58, 97, 160, 161, 171, 212, 222, 299,
 301, 311, 314, 407, 408, 409.
Oenothera biennis, 121, 425.
 Olive, 303, 304, 319, 330.
Olyria, 322.
 Onion, 62, 161, 300, 407.
Ophrydium versatile, 322.
Opuntia, 181.
 Orange, 27, 29, 154, 155, 156, 162, 167, 192, 295, 302,
 304, 363, 405, 407, 410, 416.
 Orchard grass, 161.
 Orchid, 166.
Osmorrhiza, 281.
 longistylis, 181.
Oxalis stricta, 320.
Oxybaphus nyctagineus, 123

P.

Palmella hyalina, 322.
Panax trifolium, 326.
Pancratium, 413.
Panicum, 301.
 anceps, 281.
 brizanthemum, 320.
 capillare, 98, 161.
 dichotomum, 161, 330.
 proliferum, 320.
 sanguinale, 98, 326.
Parkinsonia aculeata, 181.
Parmelia pulverulenta, 183.
Parsnip, 80.
Paspalum patycaule, 181.
 plicatulum, 275.
Passiflora incarnata, 330.
 lutea, 326.
 Passion flower, 305.
 Peach, 36, 37, 60, 67, 88, 94, 99, 154, 155, 156, 157, 168,
 173, 174, 183, 226, 284, 294, 295, 296, 302, 304,
 306, 314, 354, 355, 374, 375, 376, 377, 400, 402,
 403, 404, 410, 411, 412, 417, 419, 420.
 Pear, 60, 62, 94, 154, 163, 164, 165, 168, 169, 170, 174,
 175, 241, 264, 295, 300, 302, 303, 304, 307, 309,
 310, 312, 317, 333, 336, 338, 374, 405, 408, 410,
 411, 416, 417, 419, 420, 428.
Pelargonium, 166.
 zonale, 315.
Peltandra virginica, 181, 320.
Peniophora, 182.
Pentstemon virgatus, 325.
 Pepino, 300.
 Pepper, 300.
 Pepper tree, 413.
Persica vulgaris, 404.
Petasites palmata, 181.
Petunia, 414, 425.
Phalaris arundinacea, 321, 422.
 canariensis, 320.
Phaseolus lunatus, 279.
 nanus, 321.
Phillyrea angustifolia, 326.
Phlegthontius carolina, 61.
 celeus, 61.

- Phlox divaricata*, 133.
drummondii, 133, 319.
Phœnix dactylifera, 321.
Phragmites vulgaris, 182.
Picea excelsa, 325.
morinda, 325.
sitkænsis, 166.
Pieris hieracioides, 321.
Pieris rapæ, 62.
Pimpinella integerrima, 277.
Pine, 304, 320, 326, 329, 396, 397, 398, 413.
Pinus australis, 398.
contorta, 398.
inops, 44.
insignis, 398.
laricio, 166.
longifolia, 398.
maritima, 398.
mitis, 166, 398.
montana, 398.
polepensis, 398.
ponderosa, 166, 320, 398.
resinosa, 166.
rigida, 398.
sabineana, 398.
strobis, 331, 397, 401, 428.
sylvestris, 182, 397, 413, 428.
tæda, 398.
uncinula, 398.
Pirus malus, 183.
Pithecoctenium, 331.
Plane, 305.
Plantago, 124.
major, 124.
patagonica var. *aristata*, 124.
rugelii, 124.
Plum, 54, 56, 60, 62, 99, 101, 163, 164, 168, 171, 173, 174, 227, 253, 300, 301, 302, 303, 304, 307, 311, 313, 354, 355, 403, 409, 410, 411, 412, 415, 416, 419, 420.
Poa, 98.
sudetica, 321.
Pomaceous trees, 156.
Polyactis, 159.
Polygonum dumetorum var. *scandens*, 124.
sagittatum, 330.
Polyporus pergamenus, 320.
Polytrichum, 276.
Poplar, 305.
Populus alba, 182, 183.
balsamifera, 326.
grandidentata, 134, 319.
tremula, 321.
tremuloides, 134, 182, 319.
Portulaca oleracea, 111.
Potentilla norvegica, 122.
Potato, 9, 25, 48, 55, 57, 61, 62, 103, 159, 162, 168, 171, 172, 173, 174, 175, 176, 180, 280, 298, 299, 300, 301, 303, 306, 307, 308, 309, 310, 311, 313, 317, 386, 387, 400, 406, 407, 408, 409, 411, 414, 415, 417, 418, 419, 420, 422, 423.
Preiselbeer, 304.
Prenanthes brunoniana, 325.
Primula, 167, 413.
Prostanthera lasianthos, 425.
Prune, 354, 355, 357.
Prunus, 56.
americana, 99, 101.
armeniaca, 101.
domestica, 101.
mahaleb, 321.
serotina, 66, 101, 181.
virginiana, 101, 182.
Ptelea trifoliata, 181.
Pulicaria viscosa, 182, 183.
Pumpkin, 320, 411.
Pyrola rotundifolia, 320.
Pyrus, 320.
coronaria, 182.

Q.

Quercus, 182, 320.
agrifolia, 423.
alba, 103, 181.
illicifolia, 181.
lobata, 166.
pedunculatus, 321.
rubra, 103.
virens, 320.
Quince, 60, 62, 168, 247, 280, 417, 422.

R.

Radish, 56, 300, 423.
Randia, 322.
Ranunculus bulbosus, 123.
fasicularis, 123.
Raphanus sativus, 111.
Raspberry, 26, 57, 163, 164, 168, 170, 310, 311, 315, 408, 410, 420.
Redfieldia flexuosa, 281.
Rhamnus, 327.
corymbosus, 183.
Rheum raponticum, 181.
Rhexia mariana, 330.
Rhododendron, 305, 325, 413.
arboreum, 325.
campanulatum, 325.
catawbiense, 131, 319.
hodgsoni, 325.
lepidotum, 325.
Rhus venenata, 181.
Rhyncospora glomerata, 274, 330.
Rhytisma acerinum, 182.
Ribes, 105, 181, 401.
alpinum, 101.
rubrum, 101.
Rice, 48.
Richardia africana, 330.
Robinia, 189.
pseudacacia, 183, 331.
Romulea ramiflora, 328.
Rosa, 105, 130.
canina, 182.
Rose, 183, 305, 312, 313.
Rubiaceæ, 322, 326.
Rubus, 105, 165.
canadensis, 130.
villosus, 130.
Rudbeckia hirta, 320.
laciniata, 320.
Rumex, 277.

Rumex—Continued.

patientia, 321.
 Ruta-baga, 79, 84.
 Rutaceæ, 322.
 Rye, 62, 161, 191, 212, 301.
 S.
 Sabina, 321.
 Salix, 181.
 lucida, 181.
 nigra, 320.
 Salsify, 300.
 Sambucus, 57, 181, 320.
 canadensis, 330.
 nigra, 321.
 Sandbur, 98.
 Sanicula, 274.
 Sapindaceæ, 187, 322.
 Sarracenia purpurea, 189.
 Saxifraga, 325.
 aizoon, 325.
 elatior, 325.
 pennsylvanica, 181.
 Saxifragaceæ, 54.
 Scirpus holoschenus, 182, 183.
 Screw palm, 60.
 Scrophularia nodosa, 130.
 Senecio, 325.
 aureus, 181.
 jacobæa, 321, 413.
 serra var. *integriusculus*, 112.
 Sequoia, 398.
 Service berry, 280.
 Setaria glauca, 330.
 italica, 161.
 viridis, 116, 161.
 Shepherdia argentea, 52, 181.
 Sieyos, 57.
 angulatus, 118.
 Sida, 46.
 ciliaris, 46.
 spinosa, 306.
 Sigillaria, 272.
 Silene, 121.
 Silk worm, 191.
 Silphium perfoliatum, 119.
 Sisymbrium canescens, 110, 122.
 linifolium, 110, 326.
 Smilax, 182.
 aspera, 325.
 Solanaceæ, 322, 328.
 Solanum, 328.
 lycopersicum, 321.
 muricatum, 300.
 nigrum, 330.
 tuberosum, 116, 330.
 Solidago canadensis, 181.
 latifolia, 181.
 Sophora, 42.
 sericea, 42.
 speciosa, 181.
 Sorghum, 58, 62, 161, 172.
 Spartina glabra, 320.
 Spartium juncense, 182, 183.
 Sphingidæ, 61.
 Spinach, 57, 132, 300, 319, 320.

Sporobolus asper, 330.
 Squash, 160, 303, 417.
 Stachys palustris, 277.
 Staphylea trifolia, 181.
 Star cucumber, 57.
 Stilbospora modonia, 182.
 Stipa viridula, 320.
 Strawberry, 62, 162, 164, 168, 174, 302, 308, 317, 411,
 415, 416, 417.
 Sugar beet, 303, 406.
 cane, 295, 407.
 Sweet alyssum, 56,
 potato, 10, 55, 56, 160, 299, 300, 411, 419,
 Sycamore, 95, 102, 304, 413.

T.

Tabernæmontanum, 322.
 Talinum patens, 322.
 Tenebrio molitor, 178.
 Tephrosia hispidula, 330.
 Tettigonia vitis, 61.
 Teucrium scorodonia, 326.
 Thalia dealbata, 320.
 Thalictrum alpinum, 329.
 Tilia, 320.
 Timothy, 97, 161, 301.
 Tmesipteris viellardi, 157.
 Tobacco, 162, 298, 319, 382, 407, 409.
 Tomato, 61, 156, 159, 161, 175, 300, 303, 308, 406, 409,
 415, 417.
 worms, 61.
 Tournefortia, 328.
 Tragopogon pratensis, 112.
 porrifolius, 112.
 Trema aspera, 425.
 Trifolium, 386.
 carolinianum, 327.
 incarnatum, 99.
 montanum, 327.
 pratense, 407.
 repens, 181.
 Triumfetta, 328.
 Tropæolum, 330.
 Troximom glaucum, 130, 319.
 Tubercularia, 183.
 Tulipa gesneriana, 315.
 Turnip, 79, 84, 159, 300, 316.
 Tussock moth, 330.
 Typha latifolia, 425.

U.

Ulex europæus, 183.
 Ulmus, 181.
 americana, 63.
 campestris, 182, 183.
 montana, 183, 329.
 Ulva lactuca, 322.
 Uniola latifolia, 321.

V.

Vaccinium, 294, 304.
 vitis-idaea, 304.
 Valsa ambiens, 134, 319.
 borealis, 320.
 Veratrum viride, 181.

Verbena, 330.
 officinalis, 182.
 Vernonia baldwini, 43.
 fasciculata, 43.
 Veronica arvensis, 123.
 beccabunga, 321.
 Viburnum, 105.
 acerifolium, 118.
 lantana, 321.
 opulus, 118.
 tinus, 320.
 Vicia, 121, 327.
 faba, 85.
 sativa, 121.
 Vine, 60, 149, 154, 163, 169, 173, 187, 294, 304, 307, 313.
 403, 411, 416.
 Viola odorata, 300.
 tricolor var. arvensis, 123.
 Violet, 296, 297, 300, 305, 306, 403, 404, 414, 422.
 Vitis, 105, 118.
 æstivalis, 117.
 bipinnata, 181.
 cinerea, 117.

Vitis—Continued.
 cordifolia, 117.
 sylvestris, 296.
 vinifera, 296, 321.

W.

Walnut, 301.

Watermelon, 159, 417.

Wheat, 56, 95, 97, 158, 160, 161, 170, 171, 172, 175,
 195, 212, 287, 294, 298, 299, 300, 301, 314,
 315, 327, 407, 408, 409, 411, 415, 416, 419,
 421, 423.

White worm, 178, 190, 191.

Wireworms, 192.

X.

Xanthoxylum, 322.

Z.

Zea mays, 182.

Zizia cordata, 181.

Zygnema, 322.

Zygogonium, 322.

INDEX TO FUNGI.

n. s. following a name indicates a new species, i. e., one described in this volume; *syn.* denotes a synonym.

A.

Acanthostigma alni, 426.
fraxini, *n. s.*, 276.
Acetabula vulgaris, 176.
Achlya penetrans, 271, 272.
polyandra, 56.
racemosa, 408.
Achlyella, 139.
Achlyogeton, 139.
Achorion, 179.
Acremonium, 408.
Actinomyces, 293.
Acurtis giganteum, *syn.*, 427.
Æcidium, 164, 166, 321, 428.
aquiligæ, 422.
aschersonianum, 186.
asclepiadinum, 322.
asphodeli, *syn.*, 327.
astragali, 326, 327.
astragali-alpini, 326.
berberidis, 327.
calyculatum, 322.
candida, *syn.*, 110.
candidum, *syn.*, 327.
carneum, *syn.*, 326, 327.
chrysopsidis, 54.
cleomis, 54.
convallariæ, 422.
convolvulinum, 322.
crepidocolum, 320.
deformans, 166.
dichondræ, 326.
elegans, *syn.*, 327.
eurotiæ, 326.
ferulæ, 326.
fœniculi, *syn.*, 326.
galii, 326.
glechomæ, 326.
grossulariæ, 101.
houstoniatum, 43.
ipomœæ-panduranæ, 112.
liatridis, 54, 425.
malvastri, *n. s.*, 43, 326.
micropunctum, 326.
ochraceum, 322.
oldenlandianum, *n. s.*, 43, 326.
oxytropidis, 327.
palmeri, 325.

Æcidium—Continued.

podophylli, 182.
purpurescens, *syn.*, 327.
rhododendri, 325.
sambuci, 57.
scillinum, *syn.*, 327.
scorzoneræ, *syn.*, 326.
talini, 322.
trifolii-repentis, *syn.*, 326.
viellardi, 326.
xanthoxylum, 322.
Agaricineæ, 182, 184, 324, 394, 423.
Agaricus, 176, 184, 320, 323, 380, 413, 427.
aldrigii, 427.
campestris, 186, 318, 424.
var. griseus, 148.
confertus, 316.
cyathoides, 425.
discretus, 425.
(Pholiola) disruptus, 181.
echinatus, 316.
geoglerius, 316.
griseus, 425.
(Innocybe) holophlebius, 185.
(Metraria) insignis, 184.
lapidescens, 323.
(Leptonia) melanurus, 181.
melleus, 60, 149, 294, 296, 305, 397, 398, 404, 411, 413.
membranaceus, 425.
moringanus, 324.
(Galera) mucidolens, 189.
muscarius, 424.
(Clitocybe) pachycephalus, 182.
parvulus, 316.
strigipes, 425.
(Amanita) strobilaceus, 185.
(Flammula) vellutipes, 181.
volvatus, 316.
wardianus, 324.
Ahlesia, 329.
lichenicola, *syn.*, 329.
Albugo, 109, 110, 114, 322.
amaranthi, 114, 115.
candida, 110.
candidus, 110.
cruciferarum, 110.
ipomœæ-panduranæ, 112.
petroselini, 110.

- Albugo—Continued.
 platensis, 113.
 portulacæ, 111, 114.
 tragopogi, 110.
 tragopogonis, 112, 115.
 Alternaria, 53, 373.
 Alveolaria andina, 328.
 cordiæ, 328.
 Alytospodium croceum, 424.
 fulvum, 424.
 peteridicola, 424.
 Amanita citrina, 180.
 nitida, 315.
 pellucidula, 148.
 phalloides, 424.
 strobiliformis, 315.
 Amæbochytrium, 139.
 Amphispheeria cocos, 321.
 Ancylistæ, 136, 138, 395, 428.
 Ancylistes, 139.
 Anthostomella lepidospermæ, 425.
 quercus, 182.
 Antlea closterii, 322.
 Aphanistis, 139.
 Aphanomyces stellatus, 6.
 Aphelidium, 137.
 lacerans, 322.
 Apospora rosenvingei, 425.
 Aponectria, *syn.*, 329.
 Aposphæria leptospermi, 181.
 leptosphaerioides, 183.
 Archagaricon bulbosum, 270.
 conglomeratum, 270.
 dendriticum, 270.
 globuliferum, 270.
 radiatum, 270.
 Archimycetes, 138, 139.
 Armillaria mellea, 177, 377.
 var. radicola, 148.
 viscidipes, 147.
 Arthrobotrys oligospora, 285.
 Aschersonia, 180.
 tahitensis, 364.
 viridans, 180.
 Ascochyta, 166.
 betæ, 190.
 beticola, 190.
 decipiens, 183.
 petuniæ, 414.
 rubi, 165.
 Ascoideæ, 391, 395.
 Ascoidea rubescens, 51.
 Ascomycetes, 50, 141, 176, 188, 283, 380, 389, 390, 391.
 393, 396, 428.
 Aserœ zeylanica, 380.
 Aspergillus aviarius, 147.
 glaucus, 191, 317.
 Asterina, 398.
 radians, *n. s.*, 276.
 sphaerebloides, 322.
 Asteroma geographica, 133.
 Asterostomella cingulata, 322.
 cristata, 322.
 epitrenea, 425.
 subreticulata, 322.
 Atractium (?) cronartioides, 322.
 Aumaria stomella, 190.
 Aureobasidium vitis, 165.
 Auricularia corium, 426.
 epitrichia, 426.
 Auriculariæ, 393, 396.
 Autobasidiomycetes, 393, 394, 396.

 B.
 Bacillus, 305.
 amylobacter, 149.
 amylovorus, 94, 304, 374, 412.
 closterii, 322.
 sorghii, 62.
 Bacteria, 192.
 Bacterium aceti, 179, 424.
 pasteurianum, 179.
 vermiforme, 424.
 Balacotricha lignorum, 321.
 Baryeidamia, 159.
 Basidiomycetes, 51, 141, 148, 184, 318, 390, 392, 396,
 426.
 Basidiospora entospora, 118.
 Bisopora effusa, 147.
 Bjerkandera roseomaculata, 320.
 Blitrydium carestie, 186.
 subtropicum, *syn.*, 331.
 Bloxamia truncata, 6.
 Bolbitius candidus, 425.
 hydrophilus, 315.
 Boletinus, 427.
 Boletus, 320, 427.
 aurantiacus, 177, 315.
 brunneus, 181.
 edulis, 177, 315, 400.
 felleus, 400.
 ignoratus, 148.
 luridus, 424.
 pachypus, 177, 315.
 Botryodiplodia æsculina, 183.
 varians, 320.
 Botrytis, 151, 160, 165, 315, 378, 406, 408, 409.
 acidiorum, 191, 314.
 albido-cæsia, 190.
 arenariæ, 121.
 bassiana, 191.
 cinerea, 179.
 effusa, 124.
 fascicularis, 160.
 grisea, 123.
 infestans, 116.
 longibrachiata, 409.
 parasitica, 122, 300.
 pygmæa, 116.
 tenella, 190, 423.
 viciæ, 121.
 viticola, 117.
 virella var. ærugineo-glauca, 320.
 vulgaris, 56, 315, 398, 408.
 Bovista, minor, 427.
 montana, 427.
 Bovistella, 427.
 Brachysporium canadense, 134, 319.
 sarraceniarum, 189.
 Bremia lactucæ, 108, 120, 144, 184, 406.
 Broomella phyllocharis, 322.

Bulgaria, 190.

- inguinans, 176.
trichophora, 182.

C.

Cæoma, 325, 428.

- amaranthii, 115.
apiculosum, *syn.*, 327.
berberidis, 326.
cyclostoma, 326.
(Uredo) glumarum, *syn.*, 58.
interstitiale, 163.
laricis, 422.
nitens, 56, 57, 162, 163, 328.
phillyræ, *syn.*, 326.
tropæoli, 326.

Cæomideæ, 109.

- Calloria medicaginis, 321.
forma meliloti, 321.

Calocera, 427.

Calosphæria punicæ, 321.

Calostoma æruginosa, 186.

Calothecæ, 120.

Camarosporium subfenestratum, 329.

Cantharellus, 176.

- cibarius, 176.
tubæformis, 176.

Capnodium citri, 35, 363.

Carpoasci, 51, 391, 392, 393.

Carpohemiasci, 395.

Caryospora minor, 147.

Carposporangia, 395.

Catastoma, 427.

- pedicellatum, 427.

Catenaria, 139.

Cenangella hartzii, 425.

- Cenangium congestum, 182.
empetri, 429.

Cephalidaceæ, 139.

Ceratocystis fimbriata, *n. s.*, 1, 9, 10, 11, 55, 300, 411.

Ceratostoma phœnicis, 186.

- stromaticum, 189.
truncatum, 189.

Cercospora, 101, 375, 408.

- acnide, 181.
agrostidis, 330.
alabamensis, 330.
alternantheræ, 320.
althæina, 44, 166, 300.
var. modiolæ, 330.
angulata, 174, 192.
anthelmintica, 330.
apii, 161, 407.
asterata, 330.
atromarginalis, 330.
avicularis var. sagittati, 330.
beticola, 303.
brunkii, 320.
cæspitosa, 181.
catenospora, 330.
circumscissa, 66, 67, 68, 69, 70, 71, 75, 76, 77,
232, 238, 304, 309, 358, 360, 375,
cleomis, 320.
clitoria, 330.
comandra, 181.
crinospora, 330.

Cercospora—Continued.

- davisii, 181.
diospyri var. feruginosa, 330.
epicocoides, 181.
erechites, 330.
erythrogena, 330.
flagellifera, 330.
flagelleformis, 300.
fusimaculans, 330.
glycines, 425.
gossypina, 53, 189.
halstedii, 181.
houstonia, 181.
infuscans, 181.
jatropha, 330.
jussia, 330.
kalmia, 181.
kennedyæ, 181.
lathyrina, 181.
ludwigia, 330.
lysamachia, 320.
macroguttata, 330.
medicaginis, 181.
mikania, 181.
negundinis, 181.
osmorrhiza, 181.
pachyspora, 181.
papillosa, 330.
pinnulæcola, 330.
reseda, 300.
richardiae, 330.
rigospora, 330.
senecionis, 181.
seriata, 330.
setaria, 330.
solanicola, 330.
tephrosia, 330.
tesselata, 330.
thalia, 320.
tropæoli, 330.
truncatella, 330.
violæ, 300.
virginianæ, 330.
viticola, 411.
- Cercosporaella oxyria, 426.
persica, 91.
pyrina, 181.
veratri, 147.
- Ceromyces incomptus, 321.
- Chaetocladiaceæ, 139, 390, 395.
- Chaetocladium, 141.
- Chaetomella longiseta, 189.
tortilis, 189.
- Chaetophoma chlorospora, 322.
- Chaetostroma holoscheni, 183.
- Chalara, 6.
acuaria, 6.
brachyspora, 6.
ungeri, 5, 6.
- Chamæcyparis sphæroidea, 398.
- Chilonectria, 329.
- Chlanydomucor racemosus, 390, 394.
- Chlospora vastatrix, 184.
- Choanephoreæ, 390, 395.
- Chondrioderma aculeatum, 193.
- Chromosporium pallescens, 425.

- Chrysomyxa himalense*, 325.
 libocedri, 166.
Chrysospora gynoxidis, 328.
Chytridiaceæ, 136, 137, 138, 157, 183, 395, 426.
Chytridium, 139.
 assymmetricum, 322.
 destructus, *syn.*, ' 322.
 mamillatum, 322.
 sphaerocarpum, 322.
Ciliophrys marina, 322.
Cintractia aveneæ, 98, 320.
Cladochytriaceæ, 138.
Cladochytrium, 139.
 graminis, 202.
 tnesipterides, 157.
Cladosporium, 34, 67, 164, 316, 409.
 carpophilum, 91, 99, 411.
 fulvum, 61, 153, 161, 168, 406, 417.
 graminum, 97.
 herbarum, 96, 191, 285, 302, 315, 316.
 velutinum, 320.
 viticolium, 60.
Clamydophrys, 322.
Clasterisporium carnigerum, 182.
 dothideoides, 181.
 populi, 134, 319.
Clathraceæ, 395.
Clathrospora, 319.
Clathrus cibarius, 321.
 gracilis, 321.
 tepperianus, 321.
Claudopus variabilis, 315.
Clavariæ, 182, 394, 426, 427.
Clavaria formosa, 315.
 geoglossoides, 426.
 inæqualis, 426.
 muelleri, 427.
 pistillaris, 315.
 similis, 426.
 tasmania, 427.
Claviceps purpurea, 174, 329.
Clitocybe aquatica, 148.
 fuscipes, 147.
 geotropæ, 315.
 infundibuliformis, 177.
 inversa, 315.
 laccata, 177.
 socialis, 177.
Clitopilus cyathoides, 425.
Clostridium butyricum, 299.
Coleosporium, 428.
 baccharadis, 326.
 pini, *n. s.*, 44, 326.
 senecionis, 326, 413.
 sonchi, 326.
 viburni, 187.
Coleroa oxyriæ, 425.
Colletotrichum, 166.
 adustum, 35.
 althææ, 306.
 bromi, 306.
 gossypii, 53, 55, 298, 301.
 lindemuthianum, 407.
 lycopersici, 159.
 malvarum, 44, 55, 300, 306.
 microspERMum, 424.
Colletotrichum—Continued.
 nigrum, 300.
 spinaciæ, 320.
Collybia dryophila, 177.
 expallens, 147.
 fusipes, 177.
 longipes, 315.
 siticulosa, 148.
 subrigua, 148.
Colpodella pugnax, 137.
Comatricha irregularis, 193.
Conidiophoræ, 139.
Coniophora puteana var. *rimosa*, 148.
 var. *tuberculosa*, 148.
Coniosporium mycophilum, 320.
 pterospermum, 181.
 subgranulosum, 181.
Coniothecium cupulariæ, 183.
Coniothyrium diploidiella, 59.
 ilicinum, 54.
 muscicolum, *n. s.*, 276.
 phalaridis, 321.
 tuberculariæ, 183.
Coniophora murina, 380.
Coniophora, 427.
Coprini, 177.
Coprinus atramentarius, 315.
 comatus, 381.
 dilectus, 316.
 micaceus, 315.
 sclerotigenus, 54.
 tuberosus, 54.
 virginicus, 148.
Cordyceps, 189, 190, 191.
 chinensis, 329.
 hawkesii, 189.
 robertsii, 329, 429.
 sherringii, 329, 425.
 unilateralis, 191.
Cornularia ulmicola, 181.
Cornuvia depressa, 193.
Corticium, 36, 427.
 compactum, 427.
 nigrescens, 427.
 penetrans, 181.
 typhae, 185.
Cortinarius, 427.
 abiegnus, 427.
 albidocyaneus, 427.
 albidus, 147.
 argutus, 315.
 armillatus, 315.
 assumptus, 427.
 benevalens, 427.
 blandulus, 427.
 cinnamomeus, 315.
 var. *fusipes*, 320.
 cœrulescens, 315.
 colocandus, 427.
 crocolitus, 315.
 cyanopus, 315.
 disputabilis, 427.
 divulgatus, 427.
 effictus, 427.
 elatior, 315.
 extricabilis, 427.

Cortinarius—Continued.

- fagineti, 427.
- fistularis, 427.
- fulvo-cinnamomeus, 427.
- fusco-violaceus, 427.
- glaucopus, 315.
- illeepidus, 427.
- imbutus, 315.
- inurbanus, 427.
- largiusculus, 427.
- luxuriatus, 427.
- melleifolius, 427.
- multivagus, 427.
- obtusus, 315.
- opimatus, 427.
- percognitus, 427.
- politulus, 427.
- psammocephalus, 315.
- quæsitus, 427.
- subcarnosus, 427.
- subinfucatus, 427.
- sublanatus, 315.
- submyrtilinus, 427.
- torvus, 315.
- variecolor, 315.
- vesperus, 427.
- Coryneum, 398.
 - avellanæ, 321.
 - beyerinckii, 192.
 - cammellæ, 425.
 - faginum, 189.
 - paspali, 181.
- Crenothrix kuhniana, 192.
- Crepidotus distans, 147.
- Cribraria languescens, 193.
 - violacea, 193.
- Crinula paradox, 180.
- Cronartium asclepiadeum var. quercuum, 180.
 - gramineum, 326.
- Crucibulum simile, 186.
- Cryptocoryneum aureum, 150.
- Cryptoderis oligotheca, 329.
- Cryptodiscus pusillus, 331.
- Cudionella fructigena, 425.
- Curreya ulmicola, 182.
- Cylindrium flexile, 320.
- Cylindrocyladium, 429.
 - scoparium, 429.
- Cylindrosporium, 276.
 - ceanothi, 181.
 - cicutæ, 181.
 - dearnessii, 181.
 - iridis, 320.
 - olyria, 322.
 - padi, 101, 174, 192, 249, 253, 264.
 - stachydis, *n. s.*, 277.
 - ziziæ, 181.
- Cyphella, 427.
 - arachnoidea, 147.
 - australensis, 427.
 - fumosa, 427.
 - fuscospora, 427.
 - lateritia, 425.
 - longipes, 425.
 - texensis, 427.
- Cystopodæ, 139.

- Cystopus, 109, 110, 113, 321, 322, 426.
 - amarantacearum, 113, 114.
 - amaranti, 61.
 - bliti, 102, 184, 303.
 - candidus, 110, 144, 184, 298, 300.
 - cubicus, 115, 145.
 - ipomœæ-panduranæ, 112, 184.
 - platensis, 113, 115, 184.
 - portulacæ, 184.
 - spinulosus, 145.
 - tragopogonis, *syn.*, 112.
- Cytisporaceæ, 392.
- Cytospora viburni, 321.

D,

- Dacryomycetaceæ, 394, 396, 426.
- Dacryopsis, 324.
- Dactylaria mucronulata, 320.
- Dædalea 141, 184, 394.
 - amanitoides, 324.
 - andamani, 184.
 - eatoni, 184.
 - extensa, 147.
 - flabellum, 184.
 - illudens, 425.
 - mülleri, 184.
 - subcongener, 184.
 - sulphurella, 147.
- Dasycephala hyalina, 190.
 - willkommii, 166.
- Dematium pullulans, 179, 285.
- Dematophora, 149.
 - glomerata, 149.
 - necatrix, 60, 149, 165, 410.
- Dendrodochium betulinum, 426.
- Dendrophoma didyma, 321.
- Deudryphium muricatum, 182.
 - pachysporum, 182.
- Depazea areolata, 165.
- Desmuidiospora myrmecophila, 191.
 - lignorum, 321.
 - subeffusum, 320.
- Dianema, 193.
 - harveyi, 193.
- Diaporthe, 392.
 - rehmiana, 329.
- Diatrypella citricola, 36.
- Djatrype titan, 425.
- Dichæna strumosa, 181.
- Dichomera elæagni, 331.
 - persicæ, 183.
- Dictyosporium secalinum, 189.
- Didymella, 202.
- Didymosphæria ammophilæ, 321.
 - banksiæ, 181.
 - denudata, 320.
 - populina, 305.
- Dinemasporium galbulicola, 426.
 - (?) ovoideum, 322.
 - parvulum, 425.
 - superbum, 322.
- Diorchidium, 428.
 - pallidum, 428.
- Diploderma subulosum, 425.
- Diplodia australis, 183.
 - bambusæ, 320.

Diplodia—Continued.

- beticola, 190.
- carpogena, 183.
- cucurbitaceæ, 320.
- dearnessii, 181.
- emphisphæroides, 183.
- linderæ, 181.
- liriodendri, 147.
- microsporella var. cordia, 183.
- multicarpa, 147.
- papillosa, 181.
- rhodophila, 183.
- sambucicola, 321.
- Diplosporium breve, 147.
- Discina vaporaria, 316.
- Discinella corticalis, 320.
- Disciotis maturescens, 329.
- Discomycetes 59, 168, 177, 190, 322, 381, 391, 392, 396, 425, 429.
- Doassansia gossypii, *n. s.*, 49, 320.
- Dothichiza populea, 178.
- Dothidea, 398.
 - betulina, 166.
- Dothidella,
 - amygdali, 181.
 - celtidis, 147.
 - inæqualis, 425.
 - nelumbii, 54.
- Draparnaldia glomerata, 322.
- Dussiella, 189.
 - E.
- Ectrogella, 139.
- Elaphomyces granulatus, 177.
- Emericella, 180.
 - varicolor, 180, 425.
- Empusa, 61, 62, 293, 318, 424.
 - aphidis, 423, 424.
 - grylli, forma aulicæ, 61.
- Encelia hypochlora, 190.
- Endoconidium temulentum, 5, 191.
- Endomonadina concentrica, 322.
- Endomycetes, 396.
- Endophyllum, 285.
 - euphorbiæ-sylvaticæ, 179.
- Entoloma sinuatum, 177.
- Entomophthora, 313, 318.
 - calopteni, 178.
 - grylli, 178.
- Entomophthorææ, 136, 139, 395, 426.
- Entomosporium, 94.
 - maculatum, 60, 62, 168, 174, 241, 247, 263, 304, 317, 333, 411, 422.
- Entophlyctis, 139.
- Entyloma eugeniarum, 181.
 - nectrioides, 187.
- Ephelina aggregata, 320.
- Epichlœ, 189.
 - cinerea, 380.
 - hypoxylon, 189.
- Epicoecum neglectum, 302.
- Epicymatia modoniæ, 182.
- Epidochium olivaceum, 182.
- Erinella lutea, 180.
- Erysibe subterranea, 104.

- Erysiphe, 165, 166, 192.
 - cichoracearum, 53, 408.
 - communis, 53.
 - gigantiascus, 331.
 - graminis, 161.
 - liriodendri, 53.
 - pannosa, 170.
 - tuckeri, 165.
- Erysipheæ, 53, 182.
- Eurotium, 179.
 - herbariorum, 302.
- Everhartia hymenuloides, 191.
 - lignatilis, 191.
- Exoasci, 51, 391, 393.
- Exoascus, 164.
 - deformans, 314, 409.
 - pruni, 164, 409.
 - quercus-lobataæ, 166.
- Exo-hemiasci, 395.
- Exosporangia, 395.
- Exosporium sociatum, 182.

F.

- Favolus, 185, 324.
 - dædaleoides, 187.
 - elegantissimus, 187.
 - harioti, 187.
 - subgelatinosus, 185.
- Fenestella amorphæ, 329.
- Fibrillaria, 149.
 - (Psathyrella) ampelina, 149, 150.
- Fistulina, 394.
- Flammula aldridgii, 427.
 - alnicola, 315.
 - squalida, 147.
- Fomes ellisianus, 52.
- Fuligo, 84.
- Fusariella cladosporioides, 320.
- Fusarium, 158, 316.
 - ærginosum, 189.
 - celtidis, 183, 320.
 - discoideum, 321.
 - (Fusisporium) culmorum, 158, 411.
 - lycopersici, 61.
 - miniaturum, 191.
 - robiniaæ, 183.
 - roseum, 302.
 - solani, 96.
 - uredinis, 327.
 - volutella, 182.
- Fusicladium 94, 163, 166, 405.
 - angelicæ, 181.
 - dendriticum, 17, 26, 54, 60, 162, 168, 170, 174, 303, 306, 307, 308, 373, 409, 411, 412.
 - destruens, 148, 160.
 - effusum var. carpineum, 182.
 - livistonæ, 320.
 - pirinum, 170, 302, 411, 417.
- Fusicocum complanatum, 178, 189.
 - pini, 178.
 - populinum, 178, 189.
- Fusisporium, 301, 316.
 - culmorum, 96, 407.

G.

- Galactinia michelii*, 329.
Gasteromyces farinosus, 168.
Gasteromycetes, 125, 177, 186, 187, 322, 380, 381, 394, 395, 396, 425, 427.
Geaster columnatus, 427.
Giberella saubinetii, 302.
 trichostomi, 321.
Girodon, 427.
Gleosporium, 166.
 ampelinum, 411.
 aridum, 413.
 canadense, 181.
 carpophilum, 374.
 caryæ, 181.
 catalpæ, 133, 319.
 celtidis, 181.
 cerei, 183.
 cinctum, 166.
 citri, 181.
 cladosporioides, 320.
 decolorans, 133, 319.
 epicladii, 181.
 fructigenum, 54, 55, 304.
 lindemuthianum, *syn.*, 417.
 lunatum, 181.
 melongenæ, 160.
 nervisequum, 95, 102, 305, 413.
 nigricans, 181.
 ovalisporum, 181.
 paludosum, 320.
 pestiferum, 163, 181, 302, 319.
 piperatum, 300.
 melongenæ, 300.
 ribis, 101, 192.
 saccharinum, 181.
 suberis, 321.
 tabernæmontanæ, 322.
 venetum, 163.
 versicolor, 302, 411, 412.
 violæ, 306.
Gleosporus corrugatus, 185.
Glonium betulinum, 425.
Gnomoniopsis, 425.
 chamæmori, 425.
Godronia juniperi, 425.
Gonatorrhodiella parasitica, 191.
Graphium penicilloides, 5, 6.
 squarrosus, 320.
Greeneria fuliginea, 59, 429.
Grilletia sphaeropermii, 148.
Gymnoasci, 188, 392, 396, 428.
Gymnoascus, 428.
 bourqueloti, 428.
 reesii, 285.
 umbrinus, 428.
Gymnoglossum stipitatum, 186.
Gymnomycetes, 392, 426.
Gymnophrydium hyalinum, 322.
Gymnosporangium, 47, 56, 164, 321, 405, 428.
 confusum, 428.
 ellisii, 61.
 globosum, 62, 102.
 libocedri, 166.
 macropus, 60, 102.
 nidus-avis, 61, 279, 428.

Gymnosporangium—Continued.

- sabinæ*, 428.
Gyromyces ammonius, *syn.*, 273.
Gyrophragmium texense, 186.

H.

- Haplosporella seriata*, 181.
 tingens, 320.
Harpochytrium, 139.
Harposporium anguillulæ, 322.
Hebeloma crustuluniforme, 315.
 elatum, 177.
 griseus, 425.
 sinapizans, 315.
Helicocephalum sarcophilum, 191.
Helicobasidium mompa, 325.
Helicosporium diplosporum, 182.
Helminthosporium, 302.
 fragile, 414.
 graminum, 96, 97, 161.
 inconspicuum, *syn.*, 96.
 sarraceniae, 189.
 turcicum, *syn.*, 97.
Helotiella laburni, 429.
Helotium, 190.
 aurantiacum, 59, 190.
 montaniense, 54.
Helvella, 424.
 esculenta, 316.
Helvellacæ, 392.
Hemiarcyria clavata, 193.
 intorta, 193.
 longifila, 193.
 obscura, 193.
 varneyi, 193.
Hemiasci, 51, 389, 390, 391, 395.
Hemibasidia, 51, 390, 392, 393, 395.
Hemileia vastatrix, 160, 299, 381.
Hendersonia calospora, forma *ammophilæ*, 321.
 forma *pœ-sudetica*, 321.
 uniocæ, 321.
 candida, 183.
 cerasella, 192.
 culmifraga, 321.
 geographica, 133, 319.
 peregriva, 321.
 subcorticia, 183.
 tini, 320.
Herpotrichia cerealeum, 189.
 mucilaginosa, 329.
Heterobasidium, 394.
Heterosporium chloridis, 322.
 stenhammariae, 426.
Hexagona deschampsii, 324.
 elegans, 324.
 friesiana, 186.
 lævis, 185.
 tenuis var. *subtenuis*, 185.
Hiatula benzonii, 316.
Hirneola polytricha, 323, 400.
Hobsonia gigaspora, 330.
 macrospora, 330.
Holochytriaceæ, 137, 138.
Hormiactis nectria, 320.
Hormodendron cladosporioides, 285.
 divaricatum, 320.

- Hydnangium** corneum, 316.
 tasmanicum, 186.
Hydnei, 182, 185, 394.
Hydnum agressii, 185.
 alliceps, 185.
 analogum, 185.
 arachnoideum, 147.
 artocreas, 185.
 berkeleyi, 185.
 caespitosum, 148.
 calcareum, 425.
 cinnabarinum, 185.
 cohaerens, 185.
 coralloides, 185.
 erinaceus, 185.
 herbicolum, 185.
 lachnodontium, 185.
 liriodendri, 185.
 luteo-virens, 185.
 microdon, 185.
 peroxydatum, 185.
 repandum, 315.
 scariosum, 185.
 squamosum, 315.
 trechodontium, 185.
Hygrophorus, 176.
 cossus, 176.
 hypothejus, 176.
Hymenochaete, 427.
 rhabarbarina, 380.
 scruposa, 427.
 strigosa, 380.
Hymenogastreae, 395.
Hymenomyces, 3, 147, 152, 177, 322, 187, 317, 322, 325, 380, 381, 394, 396, 425.
Hymenoscypha carmichælii, 190.
 cinerella, 429.
 flexipes, 190.
 symphoricarpi, 429.
Hymenula citrina, 190.
 eucalypti, 425.
 glumarum, 302.
 microsporella, 320.
Hyphochytriaceae, 137, 138.
Hyphochytrium, 139.
Hypholoma capnoides, 315.
 discretus, 425.
 elaëodes, 315.
 lachrymabundum, 177.
 subaquilum, 148.
Hypomyces, 5.
Hypomyces, 121, 190, 191, 283, 322, 380, 392, 426, 429.
Hypochnus, 36, 393.
 albo-cinctus, 36.
 rubro-cinctus, 36.
 solani, 324.
Hypocrea, 191.
 impressa, 180.
 (Bromella) leptogicola, 189.
 maculaeformis, 180.
 viridans, 180.
Hypocreella, 189, 429.
 atramentosa, 189.
 axillaris, 425.
 tuberiformis, 429.
Hypodermeae, 187, 319, 380.
Hypomyces, 191.
Hypophyllum, 320.
Hyporrhodii, 189.
Hysteriaceae, 391, 392, 396.
Hysteriopsis acicola, 166, 304.
Hysterium, 133.
 pinastri, 396.
 1.
Ileodictyon, 321.
Inzengacea erythospora, 425.
Irpex clathratus, 185.
 crispatus, 185.
 decolorans, 185.
 recurrens, 185.
 modestus, 185.
Isaria, 178, 318, 191.
 densa, 190.
 robertsii, 191.
 sphinxum, 330.
 K.
Kalmusia stromatica, 425.
Kneiffia mulleri, 380.
 subtilis, 185.
 tinctor, 185.
 typhae, 185.
 L.
Laboulbenia, 293.
Lachnella, 190.
 albopileata var. subaurata, 59, 190.
 brunneociliata, 429.
 conformis, 190.
 fragariastris, 193.
 laburni, 429.
 luzulina, 190.
 orbicularis, 429.
 stigmella, 189.
Lachnidium acridiorum, 191, 316.
Lachnocladium, 185, 427.
 hookeri, 427.
 kurzii, 427.
 rubiginosum, 427.
Lactarius, 185, 424.
 akahatsu, 185.
 deliciosus, 186.
 hatsudake, 185.
 piperatus, 177.
 rufus, 186.
 volemus, 186.
Læstadia alchemilla, 425.
 bidwellii, 54, 164, 174, 304.
 mespili, 321.
 potentillae, 425.
 spartii, 182.
Lagenidium, 139, 428.
Lanopila guaranitica, 187.
Laschia, 185.
 decurrens, 185.
 flabellula, 185.
 lurida, 185.
 testudinella, 316.
Lasiosphaeria larvaespora, 185.
Leiotheca, 122.

Lembosia nobilis, 322.
Lentinus cyathus, 324.
 phliotoides, 54.
 scleroticola, 324.
 tuber-regium, 323.
Lenzites, 148, 394.
 bifasciatus, 425.
Lepiota, 380.
 cepaestipes, 316.
 excoriata, 315.
 membranaceus, 425.
 procera, 186.
Leptogonium, 189.
Leptopuccinia, 45, 47, 49.
Leptosphaeria acuta, 425.
 acutiuscula, 425.
 brachysca, 425.
 camphorata, 182.
 ellisiana, 425.
 faginea, 182.
 hansselskyyana, 425.
 kunzeana, 425.
 lasiosphaerioides, 329.
 melanommoides, 321.
 phaseoli, 321.
 punctiformis, 182.
 rhopalospora, 425.
 rumicis, 321.
 sambuci, 321.
 scapophila, 189.
 socialis, 425.
 subconica, 425.
 vaginæ, 182.
 viticola, 321.
Leptosphaeriopsis, 425.
 ophioboloides, 425.
Leptosphaerites lemonii, 321.
Leptostromella elastica, 60, 181.
 eucalypti, 181.
Leptothyrium ampullipedum, 322.
 aristatum, 425.
 magnum, 322.
 periclymeni var. *americanum*, 330.
Lophidiopsis, 425.
 nuculoides, 425.
Lophiostoma clavulatum, 183.
 nigricans, 425.
 parvulum, 425.
Lophodermium abietis-concoloris, 166.
 brachysporium, 304.
 (*Hysterium*) *baculiferum*, 166.
 infectans, 166, 304.
 sabinæ, 321.
Lycoperdaceæ, 381, 395.
Lycoperdon bovista, 323.
 elegans, 59.
 furfuraceum, 187.
 giganteum, 324.
 muscorum, 59.
 peckii, 59.

M.

Macrophoma carpincola, 189.
 cylindrica, 183.
 malorum, 60.

Macrosporium, 36, 316, 373, 408.
 brassicæ, 300.
 carotæ, 320.
 commune, 134.
 longipes, 134, 319.
 nigricantium, 53.
 podophylli, 182.
 puccinioides, 54.
 rugicantium, 299.
 solani, 417.
 tabacinum, 134, 319.
 tomato, 61.
Marasmius, 381.
 balansæ, 187.
 oleæ, 315.
 scorodoni, 400.
 subroseus, 425.
Marsonia apicalis, 181.
 deformans, 181.
 juglandis, 103.
 martinii, 103.
 nigricans, 181.
 ochroleuca, 408.
Massarina microspora, 182.
Melampsora, 321; 428.
 betulinæ, 422.
 cuphorbiæ-dulcis, 321.
 goeppertiana, 304.
 helioscopiæ, 326.
 lini, 302.
 passifloræ, 326.
 petrucciana, *syn.*, 326.
 pistaciæ, 326.
 populina, 326, 408.
Melampsoræ, 325.
Melanconieæ, 192, 426, 429.
Melanconium (?) *bambusinum*, 322.
 fuliginum, 429.
 magnoliæ, 133, 319.
Melanomma epilencum, 182.
 leptosphaerioides, 182.
 salicinum, 425.
Melanopsamma rosæ, 182.
Melanospora cannabis, 406.
Melanostroma sorbi, 426.
Melasmia pulchella, 322.
Meliola, 178, 188, 398.
 harioti, 322.
 lævipoda, 322.
 lagerheimii, 331.
 obesula, 322.
 sapindacearum, 322.
Melophia macrospora, 322.
 phyllachoroidea, 181.
 superba, 322.
Merolpidiaceæ, 138.
Merulius, 184.
 brassicæfolius, 184.
 carinum, 184.
 pallens, 184.
 pelliculosus, 184.
 rimosus, 54, 184.
 sordidus, 184.
 terrestris, 184.
Mesomycetes, 51, 389, 390, 395.

- Metarrhizium anisopliæ*, 192.
Metasphaeria clavulata, 182.
 nuda, 147.
 spurca, 182.
Mettraria, 184.
Michenera artocreas, 180.
Micrococcus, 302, 305, 317, 318.
 amylovorus, 163, 405.
 insectorum, 316, 424.
Mycromyces, 139.
 zygonii, 322.
Micropeltis (?) *balansæ*, 322.
 vagabunda, 322.
Microporus, 324.
Microsphaera, 166.
 alni, 53.
 calocladophora, 53.
 corni, *syn.*, 166, 304.
 densissima, *syn.*, 53.
 diffusa, 53.
 euphorbiæ, 53.
 pulchra, 304.
 quercina, 53.
 semitosta, 53.
 vaccinii, 53.
 van bruntiana, 53.
Microsporon, 180.
Microstoma juglandis, 413.
Microtherium acervatum, 322.
Microthyrium amygdalinum, 181.
Minutularia elliptica, 322.
Mollisia alpina, 425.
 chlorosticta, 190.
 dactyligluma, 189.
 ericæ, 321.
Monadineæ, 137.
Monilia, 164, 412.
 albicans, 285.
 candida, 285, 430.
 fructigena, 36, 38, 39, 57, 60, 92, 100, 101, 153, 164, 174, 178, 179, 304, 307, 412.
 obducens, 320.
Monoblepharidaceæ, 139, 395.
Monoblepharis, 136.
Monolpidiaceæ, 138.
Monotospora fasciculata, 425.
Montagnella rugulosa, 425.
Morchella, 427, 429.
 bispora, 429.
 bohémica, *syn.*, 429.
 gigaspora, *syn.*, 429.
 semilibera, 177.
Moronopsis inquinans, 189.
Mortierella, 401.
Mortierellaceæ, 138, 395, 389.
Mortierella rostaftinskii, 390.
Mucor, 141.
 circinelloides, 179.
 mucedo, 179, 317, 323, 390.
 mucedo *var.*, 184.
 platensis, 184.
 racemosus, 179.
Mucorinæ, 136, 138, 141, 395, 401.
Mucronella minutissima, 147.
Mucronoporus andersonii, 323.
Mutinus fraxinus, 186.
Mycena galericulata, 315.
 polygramma, 315.
 simillima, 320.
Mycetozoa, 193.
Mycocytridinae, 138.
Mycodendron paradoxa, 182.
Mycoderma cerevisiæ, 285, 424.
 vini, 179.
Mycogone ochracea, 190.
Mycomyces, 389, 390, 396.
Mycorrhiza, 157, 158, 387.
Myliittia lapidescens, *syn.*, 323.
Myriostoma coliforme, 427.
Myropyris guttiformis, 320.
Mystrosporium, 316.
Myxocytridinae, 137, 138.
Myxosporium sabinae, 321.
Myxomyces, 51, 81, 85, 137, 157, 177, 187, 193, 194, 322, 380.
Myxosporium sabinae, 321.
Myzocyttium, 137, 139.

 N.
Nectarina cucurbitula, 397.
Nectria, 5, 160.
 goroshaukiniana, 157.
 vandæ, 157, 160.
Nectriella maydis, 189.
Neottiella vitellina, 425.
Nephromyces, 139.
Nidulariaceæ, 182, 394, 395.
Niptera cinerella forma caespitosa, 429.
Nuclearia delicatula, 322.
 minima, 322.
 simplex, 322.
Nummularia, 180.
Nyctalis, 394.
 caliginosa, 315.
 lycoperdoides, 315.
 microphylla, 315.
 nauseosa, 315.
Nyctomyces, 148.

 O.
Obelidium, 139.
Ocellaria pulicariae, 183.
Odontia albominiata, 185.
 tenuis, 147.
 scopinella, 185.
Oidium, 164, 180, 390, 394, 411.
 albicans, 430.
 erysiphoides, 411.
 var. cucurbitarum, 160.
 obductum, 320.
 quinckeanum, 285.
 schenleinii, 285.
 tonsurans, 285.
 tuckeri, 307.
Oligonema furcatum, 193.
Oligoporus, 394.
Olpidiaceæ, 138.
Olpidiopsis, 139, 284.
Olpidium, 139.
 aggregatum, 322.
Ombrophila, 190.
 trachycarpa, 181.

Omphalia, 323.
 corticola, 147.
Omphalina bibula var. *citricolor*, 186.
Oömycetes, 136, 137, 138, 184, 389, 390, 395, 426.
Oöspora metchnikowi, 280.
 ovorum, 191.
 rutilans, 425.
 scabies, *n. s.*, 280, 406, 409.
 versicolor, 322.
Ophionectria everhartii, 320.
Ostropa cinerea, 182.
Ovini mylittæ, *syn.*, 425.
Ovularia macluræ, 320.
Ozonium auricolum, 298, 410.
 P.
Pachybasium hamatum, 330.
Pachyma cocos, 323, 324.
 Malacense, 324.
Passeriniella, 425.
 dichora, 425.
Patellaria fenestrata, 329.
Patellaris, 190.
Paxillus involutus, 186.
 subinvolutus, 427.
Penicillium duclauxi, 189.
 glaucum, 159, 179, 317, 318.
Peniophora, 182, 427.
Perichæna confusa, 193.
Peridermium, 398.
 cerebrum, 44.
 decolorans, 147.
 pini, 398, 413, 428.
 strobi, 401.
Perisporiaceæ, 188, 322, 392, 396, 428.
Peronospora, 57, 120, 164, 165, 166, 169, 180, 373, 417, 421, 426.
 affinis, 144.
 alsinearum, 121.
 alta, 124.
 arborescens, 144.
 arenariæ, 120.
 var. *macrospora*, 121.
 arthuri, 121.
 asperuginis, 127.
 australis, 118.
 calotheca, 61, 121, 144.
 celtidis, 105, 106, 108, 125, 323.
 chloræ, 144.
 claytoniæ, 130.
 corydalis, 122.
 cubensis, 62, 106, 125, 184.
 cynoglossi, 126, 127, 128, 322.
 var. *echinospermi*, *syn.*, 322.
 dipsaci, 123.
 echinospermi, 126, 127, 128, 129, 322.
 effusa, 57, 108, 124, 184.
 euphorbiæ, 61, 125.
 ficariæ, 123, 143.
 gangliiformis, 158, 298.
 geranii, 116.
 gonolobi, 49, 119, 320.
 graminicola, 161.
 grisea, 123.
 halstedii, 118.
 hydrophyli, 107, 109, 123, 323.

Peronospora—Continued.
 hyoscyami, 162, 298, 407.
 impatiens, 181.
 infestans, *syn.*, 162, 168.
 lamii, 124.
 leptosperma, 144.
 lophanthi, 123.
 myosotidis, 121, 127, 143, 144.
 nicotianæ, 184.
 obducens, 117.
 oxybaphi, 123.
 parasitica, 51, 56, 122, 143, 144, 184, 300.
 potentillæ, 122, 184.
 pygmæa, 179.
 rubi, 105, 130.
 rumicis, 124.
 schachtii, 173, 416.
 schleideni, 143, 144, 407.
 sordida, 130.
 sparsa, 105, 130.
 trifoliarum, 161.
 viciæ, 121.
 violæ, 123.
 viticola, 54, 59, 165, 168, 174, 180, 308, 309, 312, 314, 410.
Peronosporææ, 51, 61, 109, 118, 121, 126, 127, 130, 136, 139, 140, 141, 143, 144, 179, 182, 184, 270, 322, 395, 426.
Peronosporites antiquarius, 148, 270.
Pestalozzia aquatica, 189.
 artemisiæ, 183.
 inquinans, 320.
 insidens, 63.
 lateripes, 133, 319.
 nervalis, 133.
 sabinæ, 321.
Pestalozziella andersonii, 54.
Peziza, 165, 190, 397, 408, 426, 429.
 abrata, 189.
 coronaria, 182.
 edulis, 322.
 ochracea, 176.
 sclerotiorum, 167, 300.
 venosa, 176.
 willkommii, 166, 304, 397.
Pezizaceæ, 320.
Pezizella dilutelloides, 331.
Phacidium, 190.
 jacobææ, 321.
 medicaginis, 161.
 polygoni, 425.
 pusillum, 330, 331.
Phæodiscula celottii, 330.
Phalloideæ, 177, 394, 395, 396.
Phallus impudicus, 185, 324.
Pharcidia marina, 428.
Phialia, 190.
 macrospora, 425.
Phlebia, 185.
 deglubens, 185.
 spilomea, 185.
Phleospora reticulata, 181.
Phlyctæna, 277.
 andersoni, *n. s.*, 277.
Pholiota erebia, 177.
 mollicula, 148.

Pholiota—Continued.

- mutabilis, 177.
- rubecula, 148.
- togularis, 177.

Phoma, 190, 383, 410.

- cladophila, 183.
- hieracii, 426.
- ilicina, 54.
- lichenis, 183.
- pallens, 330.
- populi-tremulae, 321.
- pulicariae, 183.
- pycnocephali, 183.
- sanguinolenta, 313.
- solani, 160.
- lycopersici, 321.
- uvicola, *syn.*, 304.

Photobacterium balticum, 318.

- fischeri, 318.
 - indicum, 176, 318.
 - luminosum, 318.
 - pflugeri, 318.
 - phosphorescens, 176, 318.
- Phragmidium, 317, 321, 428.
- rubi var. corticicola, 428.
 - violaceum, 165.

Phycomycetes, 51, 115, 135, 136, 138, 141, 183, 184, 283, 322, 380, 389, 390, 395.

Phyllachora acutispora, 322.

- gentilis, 322.
- graninis, 161.
- læviuscula, 322.
- lagerheimiana, 331.
- maculata, 425.
- quebrachii, 322.
- stenostoma, 320.
- subtropica, 322.
- trifolii, 161.

Phyllactinia suffulta, 53, 103.

Phylloporus, 427.

Phyllosticta, 190, 277, 300.

- adusta, *syn.*, 35.
- advena, 183.
- althæina, 166.
- amaranthi, 414.
- apii, 407.
- cinerea, 183.
- circumscissa, 69, 411.
- citrullina, 159.
- eryngii, 322.
- erythroxylois, 183.
- gelsemii, 131, 319.
- hortorum, 160, 300.
- hydrangeae, 55.
- ledi, 426.
- ludwigiae, 147.
- lycopidis, 181.
- minutissima, 181.
- molluginis, 320.
- parkinsoniae, 181.
- petasitidis, 181.
- phyllodiorum, 321.
- platylobii, 181.
- prostantherae, 425.
- rhei, 181.
- rhododendri, 131, 319,

Phyllosticta—Continued.

- sophorae, 181.
- sphaeropsidea, 102, 352.
- staphyleae, 181.
- tabifica, 161, 190.
- ulmaria, 183.
- viola, 300, 414.
- virens, 320.

Phyllostictaceae, 392.

Phymatosphaeriaceae, 322.

Phymatosphaeria, 192.

Physalospora bidwellii, *syn.*, 304.

- microsticta, 425.
- pandani, 60.

Physarum calidris, 193.

- nucleatum, 193.
- penetrans, 193.

Physoderma hippuridis, 426.

Phytosphthora, 27, 270, 418.

- devastatrix, *syn.*, 300.
- infestans, 25, 51, 55, 57, 61, 116, 144, 152, 159, 171, 174, 175, 184, 270, 299, 300, 406, 407, 411, 417, 423.
- omnivora, 105, 270.
- phaseoli, 62, 279.

Pietra fungaja, *syn.*, 323.

Piggotia substellata, 425.

Pilacrae, 393, 394, 396.

Pilobolae, 138.

Pilobolus, 141.

Piptocephalidae, 395.

Pistillaria cylindracea, 320.

- fulvida, 320.

Planoblastae, 139.

Plasmodiophora, 103, 137.

- brassicæ, 81, 86, 87, 298, 300, 313, 408.
- vitis, 403.

Plasmodopara, 106, 145, 284, 426.

- australis, 57, 118.

- cubensis, 57.

- entospora, 118.

- epilobii, 144.

- geranii, 116, 184.

- gonolobi, 119, 322.

- halstedii, 61, 118.

- obducens, 117.

- pygmæa, 116, 184.

- ribicola, 105.

- viburni, 105, 118.

- viticola, 51, 57, 117, 143, 144, 184,

Platoum stercoreum, 322.

Platycheilus, 381.

Pleococcum holoschaeni, 183.

Pleclpidium, 139.

Pleosphaerulina rosicola, 182.

Pleospora, 319, 321, 398.

- verbenicola, 182.

- vitrea, 426.

Pleotrachelus, 139.

Pleurotus, 324.

- atroceruleus var. griseus, 148,

- campanulatus, 147.

- ostreatus, 315.

- pubescens, 147.

Plowrightia morbosa, 56, 101, 174, 412.

- karsteni, 189.

Podaxis indica, 381.

Podaxon mexicanum, *n. s.*, 274.
squamosus, 324.

Podosphæra biuncinata, 53.
corni, 166.
kunzei, 411.
oxyacanthæ, 251, 256.

Polyactis, 159, 160.

Polyphagacæ, 138.

Polyphagus, 137, 139.

Polyporei, 141, 148, 177, 182, 186, 394, 397, 423.

Polyporites Bowmanii, *syn.*, 269.

Polyporus, 36, 394, 426.
annosus, 394.
bambusinus, 186.
biennis, 185.
cryptarum, 316.
drummondii, 186.
frondosus, 182.
gilvus, 186.
landii, 186.
mylittæ, 425.
occidentalis, 186.
officinalis, 192, 331.
sacer, 323.
scleropodius, 323.
subgilvus, 186.
subtropicalis, 186.
sulphureus, 413.
tuberaster, 323.
ulmarius, 315.
umbonatus, 186.
versatilis, 186.
warmingii, 186.

Polyrhizium leptophyci, 178, 191.

Polythrincium trifolii, 408.

Poria subargentea, 187.

Prosthemidiella hysteroidea, 320.

Protobasidiomycetes, 393, 394, 396.

Protoglossum luteum, 186.

Protomyces, 137, 391, 393, 395.
graminicola, 116.
microsporus, 182.
pachydermus, 51.
tuberum-solani, *syn.*, 104.

Psalliota arvensis, 315.
campestris, 316.
var. *silvicola*, 400.
vaporaria, 400.
silvicola, 177.

Pseudolpidium, 139.

Pseudopatella lecanidion, 322.

Pseudopeziza axillaris, 425.
medicaginis, 411.
pyri, 147.

Pterula humilis, 187.

Ptychogaster, 394.

Ptychoverpa, 429.

Puccinia, 317, 321, 325, 354, 428.
abutii, 46.
adoxæ, 54.
afra, 275.
agropyri, 131, 319.
agrostidis, 422.
allii, 326, 328.
anemones-virginianæ, 328.
apii, *syn.*, 326.

Puccinia—Continued.

apii-graveolentis, *syn.*, 326.

apocrypta, 320.

appendiculata, 187.

araliæ, 326.

arbicola, 326.

arenariæ, 326.

aristidæ, *n. s.*, 281.

asteris, *syn.*, 326.

berkleyi, *syn.*, 326.

bullata, *syn.*, 326, 407.

cardui, *syn.*, 327.

caricis-strictæ, 42, 187, 274.

carbonacea, 46.

castagnei, *syn.*, 326.

centaurea-aspera, *syn.*, 326.

cesati, 326.

chloridis, 187.

cirsiorum, *syn.*, 326.

cnici-oleracei, 326, 327.

conglomerata, 325.

congregata, 54.

consimilis, 326.

cordæ, 328.

coronata, 327, 409.

corrigiola, *syn.*, 326.

crucianellæ, *syn.*, 326.

curtipes, *syn.*, 54.

cyperi, 187.

digraphidis, 423.

evadens, 326.

expansa, 325.

ferruginea, 326.

fosciculosorum, *syn.*, 42.

fusca, 179.

galii, 326.

gibberosa, 328.

gladioli, 328.

globosipes, 275.

glomerata, *syn.*, 325.

glycyrrhizæ, 58.

gonolobi, 49.

graminis, 53, 95, 174, 218, 288, 302, 326, 327, 328, 408.

helianthi, 42.

hemizoniæ, *n. s.*, 43, 326.

herniariæ, *syn.*, 326.

heterogenea, 44, 45, 46, 47, 50, 320.

heterospora, 45, 46, 50, 275.

hencheræ, 54.

hieracii, 42, 326, 327.

hieracii-murorum, *syn.*, 326.

jurinæ, 326.

kamtschatkæ, 325.

kraussiana, *syn.*, 326.

leveilleana, *syn.*, 326.

leveillei, 326.

lobata, 46.

longicornis, 326.

lycii, 275.

macrocephala, 187.

malvacearum, 44, 45, 57, 166, 300, 327.

maydis, 298, 299.

medusæoides, 187.

menthæ, 326.

microica, *n. s.*, 274.

Puccinia—Continued.

- mixta*, 326.
- montagnei*, *syn.*, 326.
- montanensis*, *n. s.*, 274.
- ornata*, 187.
- pallida*, *n. s.*, 281.
- pallido-maculata*, *syn.*, 54.
- pazschkei*, 325.
- perplexans* var. *arrhenatheri*, 428.
- pithecocteni*, 331.
- polygoni-amphibii*, 328.
- porri*, 326.
- poarum*, 326.
- prainiana*, 325.
- prenanthes* var. *himalayensis*, 325.
- pruni*, 326, 327, 354, 412.
- pruni-spinosæ*, *syn.*, 68, 92, 328.
- pulvinata*, 326.
- redfieldiæ*, *n. s.*, 281.
- rubigo-vera*, 62, 95, 212, 217, 218, 223, 275, 288, 319, 326, 328, 408.
- saxifragæ*, 54, 325.
- senecionis*, 325.
- sherardiana*, 46.
- silenes*, 326.
- silphii*, 326.
- sisyrinchii*, 327.
- sonchi*, 328.
- spretæ*, *syn.*, 54.
- stipæ*, 187.
- striata*, 54.
- subcircinata*, *syn.*, 325.
- subcollapsa*, *n. s.*, 275.
- suksdorfii*, 130, 319.
- tanacetii*, 42, 326.
- tiarellæ*, *syn.*, 54.
- tragopogonis*, 326.
- tranzschelei*, 325.
- tumidipes*, 275.
- urolensis*, 325.
- vernoniæ*, 42.
- var. *brevipes*, 43.
- var. *longipes*, 43.
- vincæ*, 326.
- virgaureæ*, 328.
- windsoriæ* var. *australis*, 325.
- xanthii*, 326.
- xanthiifolia*, 326.

Puccinidia abietis, 166, 304.

Puccinosira triumfettæ, 328.

Pyrenomyces, 53, 148, 322, 380, 391, 392, 396, 425, 428.

Pyrenophora, 319.

Pythium, 414.

de Baryanum, 57, 316, 408.

R.

Rabenhorstia discoidea, 322.

Radulum, 185.

emerici, 185.*neilgherrensis*, 185.

Rhamphoria tenella, 321.

Ramularia, 47.

armoraciæ, 300.*arnicalis*, 181.*beccabunga*, 321.

Ramularia—Continued.

canadensis, 181.*destruens*, 147.*dioscoreæ*, 181.*graminicola*, 147.*junci*, 147.*lethalis*, 181.*petuniæ*, 425.*pieridis*, 321.*primulæ*, 167, 413.*repens*, 181.*rufo-maculans*, 62.*stolonifera*, 181.

Ravenelia, 187.

cassiæcola, 187, 423.*glandulæformis*, 187.

Resticularia, 139.

Rhabdospira aconiti, 321.

campanulæ, 321.*jasmini*, 183.*lagerstrœmiæ*, 183.*mühlenbeckiæ*, 183.

Rhizotrichum muricatum, 181.

Rhizidiaceæ, 138.

Rhizidiomyces, 139.

Rhizobium, 388.

leguminosarum, 158.

Rhizoctonia betæ, 303.

violacæ, 313.

Rhizomorpha, 397, 408.

fragilis var. *subcorticalis*, 149.var. *subterranea*, 149.*sigillariæ*, 272.

Rhizomyxa, 139.

Rhizophidium, 139.

Rhizophlyctis, 139.

Rhizopie, 389, 390, 395.

Rhizopogon violaceus, 425.

Rhizopus, 141.

nigricans, 56, 101.

Rhytisma, 321.

acerinum, 182.*punctatum*, 304.*punctiforme*, 166, 304.

Rhyzidium, 139, 322.

Roestelia, 61, 62, 110, 154, 164, 174, 428.

aurantiaca, 103.

Rozella, 137, 139, 284.

Russula, 176.

adusta, 176.*cyanoxantha*, 176.*foetus*, 400.*nigricans*, 176.*queletii*, 176.*viridipes*, 148.

Ryparobius, 190.

S.

Saccharomyces betulæ, 147.

cerevisiæ, 179.*conglomeratus*, 179.*ellipsoideus*, 179.*exiguus*, 179.*glutinis*, 413.*marxianus*, 179.*minor*, 179.

Saccharomyces—Continued.

- mycoderma, 430.
- parasitaris, 191.
- pyriformis, 424.
- Saccharomycetes, 141, 285.
- Saccopodium, 139.
- Saprolegnia, 293.
 - monoica, 316.
 - quisquiliarium, 321.
- Saprolegniaceæ, 6, 136, 139, 141, 270, 283, 395, 426.
- Sarcinella, 316.
 - (?) solanicola, 322.
- Sarcomyces, 324.
 - vinosa, 192.
- Schizomycetes, 327, 430.
- Schizonella subtrifida, 326.
- Schizophyllum commune, 36.
- Schizothyrella hippocastani, 181.
- Schroeteria annulata, 326.
 - cissi var. arabica, 186.
- Sclerodopsis, 185.
- Sclerodermiæ, 395.
- Sclerospora, 426.
 - graminicola, 116, 184.
- Sclerotinia, 406.
 - baccarum, 304.
 - fuckeliana, 165, 406.
 - libertiana, 406.
 - trifoliorum, 313, 407, 411.
 - vahliana, 425.
- Sclerotium baccarum, 426.
 - irritans, 166.
 - stipitatum, 269, 323.
- Scolecotrichum caricæ, 134, 319.
 - graminis, 96, 97, 161.
- Scoriomyces andersonii, 320.
- Secotium gunnii, 186.
 - leucocephalum, 186.
- Septocarpus, 139.
 - episphæricum, 147.
- Septomyxa carpinii, 147.
- Septonema grisea-fulvum, 182.
- Septoria, 22, 101, 310, 383, 408, 414.
 - albicans, 181.
 - ampelopsidis, *n. s.*, 276.
 - apii, 159.
 - armoraciæ, 300.
 - canadensis, 181.
 - carnea, 181.
 - cerasina, 60, 311.
 - consimilis, 407.
 - dianthi, 300.
 - dolichospora, 181.
 - drummondii, 319.
 - elæospora, 277.
 - elymi, 132, 319.
 - erechitis, 181.
 - eugeniarum, 322.
 - eugenicola, 322.
 - fairmani, 166.
 - graminum, 210, 211, 218.
 - gummigena, 181.
 - jackmani, 132, 319.
 - lepidospermi, 181.
 - leucostoma, *n. s.*, 277.
 - microspora, *n. s.*, 276.

Septoria—Continued.

- nubilosa, 181.
- petroselini var. apii, 407, 408.
- petuniæ, 414.
- phyllodiorum, 321.
- pimpinellæ, *n. s.*, 277.
- pteleæ, 181.
- pteridis, 147.
- pyrolata, 426.
- rubi, 17, 26, 163, 164, 174, 192.
- rudbeckiæ, 320.
- rumicis, *n. s.*, 277.
 - ccharina, 132, 319.
- stachydis, 278.
- tritici, 408.
- Septosporium bifurcum, 285.
- Sepultaria nicæensis, 329.
- Seynesia (?) nebulosa, 322.
- Siphoblastæ, 139.
- Siphomyces, 136.
- Siphonææ, 389.
- Sorosporium, 320.
 - ellisii var. provincialis, 320.
 - everhartii, 320.
 - granulosum, 320.
 - scabies, *syn.*, 104.
- Spegazzinia tessarthra, 424.
- Speira dematophoræ, 150.
 - densa, 150.
 - ulicis, 183.
- Sphaceloma, 165, 166.
 - ampelinum, 54, 60, 174, 410.
- Sphærella, 277, 302, 398.
 - acerna, 321.
 - alba, 182.
 - crypta, 425.
 - destructiva, 298.
 - fragariæ, 162, 308, 411, 416.
 - goodiæfolia, 425.
 - gossypina, 189.
 - grossulariæ, 192.
 - juniperi, 321.
 - maculata, 321.
 - nigrificata, 321.
 - nubilosa, 180.
 - sarracenæ, 189.
 - sentina, 170.
 - tabifica, 190.
- Sphæria, 190.
 - aggregata, *syn.*, 320.
 - morbosa, *syn.*, 302.
- Sphæriaceæ, 189, 429.
- Sphæridium lacteum, 320.
- Sphærita, 137, 139.
- Sphæroboleæ, 395.
- Sphæronema sphæropsoideum, 181.
- Sphæropsidea, 192, 322, 380, 392, 426, 427.
- Sphæropsis albescens, 132, 319.
 - ulmicola, 181.
- Sphærostilbe macowani, 425.
- Sphærotheca castagnei, 53.
 - gigantiascus, 331.
 - humuli, 53.
 - lanestris, 423.
 - morsuva, 168.
 - pannosa, 90, 375, 411.

- Sphaerulina dryadis*, 329.
Sphenospora, 428.
Spongospora solani, 103, 104, 301
 subterranea, 104, 301.
Sporangiophora, 138.
Sporidesmium sorisporioides, 54, 425
 tabacinum, 182.
Sporochytriaceae, 137, 138.
Sporoschisma mirabile, 6.
Sporotrichum globuliferum, 424.
 lecanii, 147.
 vile, 320.
Stachybotrys atra, 285.
Stagonospora baccharidis, *n. s.*, 276.
 cyperi, 181.
 orbicularis, 425.
 petasitidis, 181.
 ranii, 276.
 spinaciae, 132, 319.
 trifolii, 181.
Starbäckia pseudo-triblidioides, 329.
Steirochaete graminicola, 306.
Stemonitis maxima, 193.
 nigrescens, 193.
 virginiensis, 193.
 webbieri, 193.
Stemphylium, 316.
Stephanome strigosum, 178.
Stephensia arenivaga, 425.
Stereum, 184.
 pannosum, 425.
 pusillum, 380.
 sparsum, 380.
 triste, 180.
Sterigmatocystis, 164.
 ochracea, 189.
 phoenicis, 164.
Stictis compressa, 131, 319.
 opuntiae, 321.
Stigmataea, 398.
Stilbæ, 190, 429.
Stilbospora angustata, 178, 278.
 foliorum, 425.
 modonia, 182.
 varneyana, *n. s.*, 278.
Stilbum corallinum, 181.
Strickeria tingens, 331.
Strigula complanata, 36.
Strobilomyces, 427.
 fasiculatus, 425.
 ligulatus, 425.
 polypyraxis, 424.
Stropharia æruginosa, 315.
Strumella petelloidea, 425.
Stuartella carlylei, 189.
Synchitrium, 139, 284.
 anemones, 179.
 vaccinii, 163, 311.
Synchytriaceae, 138.
Synchytrium, 428.
Synthetosporea, 429.
 electa, 429.

 T.
Taphrina, 409.
 deformans, 60, 68, 88, 304, 375.

Taphrina—Continued.
 epiphylla, 329.
 pruni, 302.
Taphrineæ, 391, 396, 425.
Terfezia boudieri, 429.
 boudieri var. *arabica*, 188.
 claveryi, 188, 429.
 hafizi, 188.
 leonis, 188, 429.
 metaxasi, 188.
 tirmania, 188.
Tetrachytrium, 139.
Thamnidieæ, 138, 390, 395.
Theleboleæ, 391, 395.
Thelephora griseozonata, 185.
 odorifera, 147.
 pedicellata, 303, 425.
 reticulata, 425.
 (*Craterellus*) *spassoides*, 186.
 suffulta, 425.
Thelephorei, 182, 184, 394, 427.
Thelobolus stercoreus, 51.
Thelocarpon, 329.
 ahlesii, 329.
Thelospora, *syn.*, 425.
Thielavia basicola, 6, 414.
Thyridium betulæ, 321.
Tilletia, 395.
 foetens, 174, 407.
 rugispora, *n. s.*, 275.
 striæformis, 97.
Tilletiæ, 393.
Tirmania africana, 429.
 cambonii, 429.
Titæa clarkei, 181.
Titania, 425.
 berkeleyi, 425.
Tomentelleæ, 394.
Torula, 5, 179, 285.
 basicola, 414.
Trabutia parvicapsa, 425.
 phyllodiae, 180.
Trametes, 185.
 adelphica, 185.
 burchelli, 185.
 dickinsii, 185.
 gausapata, 185.
 hispida, 426.
 pini, 166.
 radiciperda, 397.
 trogii, 426.
Tremella lilacina, *syn.*, 426.
 sarcoides, 426.
Tremellaceæ, 182, 393, 394, 425, 426, 427.
Trichia affusis, 193.
 andersonii, 193.
 jackii, 193.
 proximella, 193.
Trichoderma, 318.
Trichogastres, 182.
Tricholoma, 148.
 album, 315.
 cinerascens, 315.
 edurum, 148.
 grande, 147.
 maculatescens, 148.

Tricholoma—Continued.

- magnum, 148.
- rancidulum, 148.
- resplendens, 315.
- russula, 177.
- saponaceum var. lavedana, 186.
- subdurum, 148.
- sulphureum, 315.
- terreum, 177.

Trichophyton, 180.

Trichospora tournefortiæ, 328.

Trichothecium roseum, 302.

Trichothyrium fimbriatum, 322.

Trinacrium variable, 321.

Triposporium cristatum, *syn.*, 424.

Trochila rhodiolæ, 425.

Trullula nitidula, 6.

sacchari, 407.

Tryblidaria subtropica, 331.

Tryblidiella pygmæa, 131, 319.

Tryblidiopsis, 381.

Tubaria strigipes, 425.

Tuber, 188.

melanosporum, 188.

regium, *syn.*, 323.

Tuberacei, 177.

Tubercinia scabies, *syn.*, 104.

Tubercularia, 183.

calycanthi, 183.

rhodophyla, 183.

Tuberculariæ, 330.

Tuberculina persicina, 304.

solanicola, *n. s.*, 278.

talini, 322.

Tuberoideæ, 322.

Tubulina cylindrica, 193.

fragiformis, 193.

Tulostoma album, 186.

wrightii, 186.

Tylostoma, 394.

Tylostomeæ, 395.

U.

Uncinula ampelopsidis, 59.

flexuosa, 53.

macrospora, 53.

parvula, 53.

polychæta, 53.

spiralis, 53, 54, 316, 373.

Uredineæ, 57, 58, 141, 180, 182, 187, 313, 318, 321, 322,

325, 326, 393, 396, 423, 425, 428.

Uredo, 110, 325.

æcidiformis, 326.

ambigua, *syn.*, 326.

aloes, 425.

anagrydis, *syn.*, 326.andropogoni, *syn.*, 326.avenæ, *syn.*, 326.baccharadis, *syn.*, 326.

balousæ, 326.

bellidis, *syn.*, 327.berberidis, *syn.*, 326.beticola, *syn.*, 326.

boutelouæ, 275.

camphorosmæ, *syn.*, 326.candidus, *syn.*, 112.

Uredo—Continued.

caraganae, *syn.*, 327.castagnei, *syn.*, 326.

celtidis, 331.

cornui, 326.

cucubali, *syn.*, 326.cyclostoma, *syn.*, 326.dianthi, *syn.*, 326.erigeronis, *syn.*, 326.eriocomæ, *n. s.*, 275.

erythroxytonis, 187, 188.

excavata, 321.

fallens, *syn.*, 327.galli-veri, *syn.*, 326.

glumarum, 326.

gossypii, *n. s.*, 48, 320.holoschœni, *syn.*, 326.ilicis, *syn.*, 326.japonica, *syn.*, 327.kleiniæ, *syn.*, 326.lathyri, *syn.*, 327.leguminum, *syn.*, 327.leguminosarum forma glycyrrhizæ, *syn.*, 58.lolii, *syn.*, 326.longipes, *syn.*, 327.lupine, *syn.*, 327.lychnidiarum, *syn.*, 326.

maidis, 320.

microcelis, 327.

mulleri, 178.

notabilis, 321.

nyssæ, 320.

onobrychii, *syn.*, 327.oxytropidis, *syn.*, 327.

peridermiospora, 320.

phyllariæ, *syn.*, 326.placentula, *syn.*, 327.planiscula, *syn.*, 327.poæ-sudeticæ, *syn.*, 326.polygonorum var. aviculare, *syn.*, 326.portulacæ, *syn.*, 111.prismaticus, *syn.*, 326.pruni, *syn.*, 326, 327.

quercus, 326.

satureiæ, *syn.*, 326.scirpi, *syn.*, 326.similis, *n. s.*, 275.statices, *syn.*, 327.tragopogonis, *syn.*, 112.tropæoli, *syn.*, 326.tumida, *syn.*, 326.

vialæ, 187.

vicie-craccæ, *syn.*, 327.

Urocystis anemones, 179.

cepulæ, 300.

hypoxys, *n. s.*, 278, 331.

occulta, 62, 407, 408.

primulicola, 329.

Uromyces, 321, 325, 428.

acutatus, 326.

aloes, 425.

ambiguus, 326.

amygdali, *syn.*, 326.

anagrydis, 326, 327.

andropogonis, *n. s.*, 281.

anthyllidis, 327, 399.

Uromyces—Continued.

appendiculata, *syn.*, 58, 327.
 astragali, 327.
 astragali var. lupini, *syn.*, 327.
 betæ, 303, 326, 408.
 cachrydis, 326.
 caricis, 42, 187, 274.
 caryophyllinus, 167, 305, 326, 413, 414.
 (?) cyperinus, 187.
 cytisi, *syn.*, 327.
 dictelianus, 331.
 dolichi, *syn.*, 327.
 eragrostidis, *n. s.*, 281.
 ervi, *syn.*, 327.
 erythronii, 327.
 excavatus, 328.
 fabæ, 327.
 genistæ-tinctoriæ, *syn.*, 58, 327.
 gentianæ, 187.
 glycyrrhizæ, 42, 58.
 haszliinskii, *syn.*, 327.
 hedsari, 399.
 hedsarum, 327.
 hordei, *n. s.*, 281.
 hyalinus, 42.
 japonicus, 327.
 junci, 326.
 lævis, 321.
 var. trachyspora, 321.
 lapponicus, 326, 327.
 lathyri, *syn.*, 327.
 lespedezæ, 327.
 limonii, 327.
 lineolatus, 326.
 lupini, 327.
 macrosporus, *syn.*, 327.
 minor, 327.
 mucunæ, *syn.*, 327.
 onobrychidis, *syn.*, 327.
 ononidis, *syn.*, 327.
 ornithogali, 326.
 oxytropidis, *syn.*, 327.
 panici, *n. s.*; 281.
 perigynius, 42, 187.
 pisi, 179, 297, 327.
 placentula, *syn.*, 327.
 polygoni, 326.
 pseudarthriæ, *syn.*, 327.
 pteleacearum, *syn.*, 327.
 punctatus, *n. s.*, 327.
 rhyncosporæ, *syn.*, 274.
 rumicis, 327.
 salicornæ, 326.
 scaber, 326.
 schweinfurthii, 186.
 scutellatus, 297.
 var. leptoderma, 321.
 sisyrinchii, *syn.*, 327.
 solidus, *syn.*, 327.
 sophoræ, 42.
 sphæropleus, *syn.*, 327.
 striatus, 327.
 tepperianus, *syn.*, 327.
 trifolii, 42, 58, 99, 326, 327, 408.
 trigonellæ, *syn.*, 327.
 tuberculatus, 328.

Uromyces—Continued.

versatilis, *syn.*, 327.
 viciæ, *syn.*, 327.
 Ustilaginæ, 51, 137, 152, 188, 321, 326, 393, 395, 425.
 Ustilago, 110, 297, 321, 394.
 antherarum, 158.
 avenæ 407.
 bromivora var. macrospora, 98.
 brunkii, 320.
 buchloës, 320.
 diplospora, 326.
 hilaria, 320.
 juncicola, 187.
 maydis, 97, 174, 298.
 montaniensis, 326.
 neslii, 328.
 oxalidis, 320.
 panici-miliacei, 98, 328.
 phœnicis, 164.
 reiliana, 58, 171, 172.
 segetum, 97, 174.
 sorghii, 58, 172.
 syntherismæ, 98.
 tritici, 407.
 zææ-mays, 171.
 V.
 Valsa ambiens, 134.
 Valsaria hypoxylodes, 131, 319.
 parmularia, 189.
 rubricosa, 189.
 Venturia furcata, 321.
 Vermicularia discoidea, 320.
 subefigurata, 300.
 veratrina, 181.
 Verpa, 429.
 Verticillium, 178.
 Vibrissea hypogæa, 102, 149.
 truncorum var. albipes, 148.
 Volutella albopila, 190.
 occidentalis, 54.
 Volvaria virgata var. fennica, 320.
 W.
 Wallrothiella pusilla, 182.
 Winterella, 425.
 tuberculigera, 425.
 Woronina, 139, 284.
 X.
 Xylaria, 36.
 polymorpha, 177.
 Xylopodium ochroleucum, 381.
 Z.
 Zasmidium cellare, 424.
 Zignælla boreella, 320.
 culmicola, 189.
 ligustrina, 182.
 Zygochytrium, 139.
 Zygodasmus albidus, 300.
 limoniisporus, 181.
 pyrolæ, 320.
 tuberculosis, 181.
 Zygomycetes, 136, 137, 138, 140, 184, 389, 390, 391,
 392, 393, 395, 426.